

**CXCR4 (phospho-S339) polyclonal antibody**

Catalog: BS4688

Host: Rabbit

Reactivity: Human, Mouse, Rat

**BackGround:**

The C-X-C or  $\alpha$  chemokine family is characterized by a pair of cysteine residues separated by a single amino acid and primarily functions as chemoattractants for neutrophils. The C-X-C family includes IL-8, NAP-2, MSGA and stromal cell derived factor-1 or SDF-1. SDF-1 was originally described as a pre-B cell stimulatory factor, but has now been shown to function as a potent chemoattractant for T cells and monocytes but not neutrophils. Receptors for the C-X-C family are G protein coupled, seven pass transmembrane domain proteins which include IL-8RA, IL-8RB and fusin (variously referred to as LESTR or CXCR-4). Fusin is highly homologous to the IL-8 receptors, sharing 37% sequence identity at the amino acid level. The IL-8 receptors bind to IL-8, NAP-2 and MSGA, while fusin binds to its cognate ligand, SDF-1. Fusin has been identified as the major coreceptor for T-tropic HIV-1 and SDF-1 has been shown to inhibit HIV-1 infection.

**Product:**

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

**Molecular Weight:**

~ 40-47 kDa

**Swiss-Prot:**

P61073

**Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:**


WB: 1:500~1:1000

**Storage&Stability:**

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

**Specificity:**

p-CXCR4 (S339) pAb detects endogenous levels of CXCR4 protein only when phosphorylated at Ser339.

**DATA:**

Western blot (WB) analysis of p-CXCR4 (S339) pAb at 1:500 dilution

Lane1:HEK293T cell lysate treated with colchicine(0.2  $\mu$ g/ML,24h)

Lane2:Mouse spleen tissue lysate

Lane3:Rat spleen tissue lysate

**Note:**

For research use only, not for use in diagnostic procedure.

**Bioworld Technology, Inc.**

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

**Bioworld technology, co. Ltd.**

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151