

6044 Cornerstone Court W, Ste E San Diego, CA 92121 **Tel:** 1.858.829.3082

Fax: 1.858.481.8694
Email: info@bpsbioscience.com

Data Sheet Fluorogenic DPP9 Assay Kit Catalog #: 80209

DESCRIPTION: Dipeptidyl peptidase-9 (DPP9) is a serine exopeptidase that cleaves X-proline dipeptides from the N-terminus of polypeptides. DPP9 exhibits similar activity to that of DPP4 but unlike DPP4, DPP9 is not membrane bound. DPP9 activity has been linked to several diseases, including type-2 diabetes, obesity and cancer. The *Fluorogenic DPP9 Assay Kit* is designed to measure DPP9 activity using purified DPP9 for screening and profiling applications. It comes in a convenient 96-well format, with purified DPP9 enzyme, DPP substrate, and DPP assay buffer for 100 enzyme reactions. The key to the *Fluorogenic DPP9 Assay Kit* is the fluorogenic substrate. Using this kit, only one simple step on a microtiter plate is required for DPP9 reactions. The fluorogenic substrate is incubated with a sample containing DPP9 enzyme to produce a fluorophore that can then be measured using a fluorescence reader.

COMPONENTS:

Cotolog #	Component	Amount	Storage	
Catalog #	Component	Amount		
80090	DPP9 human recombinant enzyme	1 μg	-80℃	
80300	DPP assay buffer	10 ml	-20℃	
80305	Fluorogenic DPP substrate 1 in	100 µl	-80℃	Avoid
	DMSO (0.5 mM)	-		freeze/thaw
	AMC Fluorescent standard (50 μM)	500 μΙ	-20℃	cycles!
	black, low binding NUNC black	1 plate	Room	
	microtiter plate		temp.	

APPLICATIONS: Great for studying enzyme kinetics and screening small molecular inhibitors for drug discovery and HTS applications.

REFERENCES:

1. Bjelke, J.R. et al., *Biochem. J.* **396 (2):** 391-399 (2006)

2. Yu, D.M. et al., FEBS J. 273 (11): 2447-2460 (2006)

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.



6044 Cornerstone Court W, Ste E San Diego, CA 92121 **Tel:** 1.858.829.3082

Fax: 1.858.481.8694
Email: info@bpsbioscience.com

ASSAY PROTOCOL:

Immediately prior to assay:

- Dilute DPP substrate 1 0.5 mM stock 5-fold with DPP assay buffer to make a 100 μM solution. (Make only sufficient quantity needed for the assay; store remaining 0.5 mM stock solution in aliquots at -20 °C.)
- 2) Dilute DPP9 in DPP assay buffer to 1 ng/µl (10 ng/reaction)*. Aliquot any remaining enzyme and store undiluted at -80°C. Keep diluted enzyme on ice. Discard any remaining diluted enzyme after use. *Note: optimal enzyme concentration may vary with the specific activity of the enzyme.
- 3) Dilute 25 μ I of the Fluorescent AMC standard (50 μ M stock) 2-fold with DPP buffer to make a 25 μ M solution. Make serial 2-fold dilutions of the fluorescent AMC standard in DPP buffer as follows: 12.5 μ M, 6.25 μ M, 3.12 μ M, 1.56 μ M, 0.78 μ M, 0.39 μ M, 0.19 μ M, 0.10 μ M. Aliquot the remaining 50 μ M AMC standard and store undiluted at -20 °C.

Step 1:

In duplicate, add the reaction mixtures (below) to the microtiter black plate. Incubate at $22 \, ^{\circ}\text{C}$ for 10 min.

	Enzyme Positive Control	Test Inhibitor	AMC Standard Curve	Inhibitor Negative Control	"Blank" Negative Control
DPP9 (1 ng/μl)	10 μΙ	10 μΙ	_	-	_
DPP substrate 1 (100 μM)	5 μΙ	5 μΙ	_	5 μΙ	-
AMC standard (0.1 μM – 50 μM)	-	-	5 μΙ	-	-
Inhibitor (in DPP assay buffer)	-	Xμl	-	ΧμΙ	-
DPP assay buffer	85 μl	85 - X μl	95 μl	95 - X μl	100 μΙ
Total	100 μΙ	100 μΙ	100 μΙ	100 μΙ	100 μΙ

Step 2:

Read sample in a microtiter-plate fluorimeter that is capable of excitation at wavelengths ranging from 350-380 nm and detection of emitted light ranging from 440-460 nm.

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.




6044 Cornerstone Court W, Ste E

San Diego, CA 92121 **Tel:** 1.858.829.3082 **Fax:** 1.858.481.8694

Email: info@bpsbioscience.com

Example of Assay Results:



DPP9 enzyme activity, measured using the *Fluorogenic DPP9 Assay Kit*, BPS Bioscience Cat.# 80209. *Note: Data shown is lot-specific. For lot-specific information, please contact BPS Bioscience, Inc. at* info@bpsbioscience.com.

RELATED PRODUCTS:

Product Name	Catalog #	<u>Size</u>
DPP9 enzyme	80090	10 μg
DPP assay buffer	80300	20 ml
Fluorogenic DPP substrate 1	80305	100 µl
DPP3 enzyme	80030	10 μg
DPP4 enzyme	80040	10 μg
DPP7 enzyme	80070	10 μg
DPP8 enzyme	80080	10 μg
FAP enzyme	80100	10 μg
POP enzyme	80105	20 μg
Fluorogenic DPP3 assay kit	80203	96 rxns
Fluorogenic DPP4 assay kit	80204	96 rxns
Fluorogenic DPP7 assay kit	80207	96 rxns
Fluorogenic DPP8 assay kit	80208	96 rxns
Fluorogenic FAP assay kit	80210	96 rxns
Fluorogenic POP assay kit	80106	96 rxns
Fluorogenic DPP substrate 2	80332	100 μΙ

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.