Product Information



2-Linoleoyl Glycerol

Item No. 62260

CAS Registry No.: 3443-82-1

Formal Name: 9Z,12Z-octadecadienoic acid,

2-glyceryl ester

Synonym: MF: $C_{21}H_{38}O_4$ FW: 354.5

≥95% (as a 9:1 mixture of the **Purity:**

2-LG and 1-LG)

≥6 months at -80°C Stability: Supplied as: A solution in acetonitrile

Laboratory Procedures

For long term storage, we suggest that 2-linoleoyl glycerol (2-LG) be stored as supplied at -80°C. It should be stable for at least six months.

2-LG is supplied as a solution in acetonitrile. To change the solvent, simply evaporate the acetonitrile under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as ethanol, DMSO, and dimethyl formamide purged with an inert gas can be used. The solubility of 2-LG in these solvents is approximately 25 mg/ml. 2-LG is stable for at least three months in these solvents if stored at -80°C.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of 2-LG is needed, it can be prepared by evaporating the acetonitrile and directly dissolving the neat oil in aqueous buffers. The solubility of 2-LG in PBS (pH 7.2) is approximately 140 µg/ml. Store aqueous solutions of 2-LG on ice and use within 12 hours of preparation. Although the aqueous solutions of 2-LG may be stable for more than 12 hours, we strongly recommend using a fresh preparation each day.

2-Arachidonoyl glycerol (2-AG) has been isolated from porcine brain, and has been characterized as the natural endocannabnoid ligand for the CB1 receptor. The congener of 2-AG in which a linoleoyl group replaces the arachidonoyl group is 2-LG, and this compound also appears *in vivo* in conjunction with 2-AG.³ Although the intrinsic activity of 2-LG is low, it potentiates the activity of other endocannabinoids, including 2-AG. This "entourage" effect has been attributed to blockade of the breakdown and reuptake pathways that normally function to reduce endocannabinoid levels rapidly upon release.

References

- 1. Sugiura, T., Kodaka, T., Kondo, S., et al. 2-Arachidonoylglycerol, a putative endogenous cannabinoid receptor ligand, induces rapid, transient elevation of intracellular free Ca²⁺ in neuroblastoma X glioma hybrid NG108-15 cells. Biochem. Biophys. Res. Commun. 229, 58-64 (1996).
- 2. Sugiura, T., Kodaka, T., Kondo, S., et al. Is the cannabinoid CB1 receptor a 2-arachidonoylglycerol receptor? Structural requirements for triggering a Ca²⁺ transient in NG108-15 cells. J. Biochem. 122, 890-895 (1997).
- 3. Ben-Shabat, S., Fride, E., Sheskin, T., et al. An entourage effect: inactive endogenous fatty acid glycerol esters enhance 2-arachidonoyl-glycerol cannabinoid activity. Eur. J. Pharmacol. 353, 23-31 (1998).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/62260

WARNING: THIS PRODUCT IS FOR LABORATORY RESEARCH ONLY: NOT FOR ADMINISTRATION TO HUMANS. NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

MATERIAL SAFETY DATA

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Material Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes no warranty or guarantee of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman warrants only to the original customer that the material will meet our specifications

art the time of delivery.

Cayman will carry out its delivery obligations with due care and skill. Thus, in no event will Cayman have any obligation or liability, whether in tort (including negligence) or in contract, for any direct, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, districtors or its employees.

Buyer's exclusive remedy and Cayman's sole liability hereunder shall be limited to a refund of the purchase price, or at Cayman's option, the replacement, at no cost to Buyer, of all material that does not meet our specifications.

Said refund or replacement is conditioned on Buyer giving written potics to Cayman within thirty (30) days after a trival of the material at its destination. Failure of Buyer to give said potics within

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within try (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our Warranty and Limitation of Remedy located on our website and in our catalog.

Copyright Cayman Chemical Company, 11/05/2012

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone

(800) 364-9897 (734) 971-3335

(734) 971-3640

custserv@caymanchem.com

www.caymanchem.com