



Scientific Papers using Accutase/Accumax

Apoptotic-cell-derived membrane microparticles and IFN- α induce an inflammatory immune response

Anna Niessen, Petra Heyder, Stefan Krienke, Norbert Blank, Lars-Oliver Tykocinski, Hanns-Martin Lorenz, and Martin Schiller
J. Cell Sci. 2015; 128:2443-2453.

Directed cardiomyogenesis of human pluripotent stem cells by modulating Wnt/ β -catenin and BMP signalling with small molecules

Jose S. Aguilar, Aynun N. Begum, Jonathan Alvarez, Xiao-bing Zhang, Yiling Hong, and Jijun Hao
Biochem. J. 2015; 469:235-241.

Nesfatin-1 inhibits proliferation and enhances apoptosis of human adrenocortical H295R cells

Manjunath Ramanjaneya, Bee K Tan, Marcin Rucinski, Mohamed Kawan, Jiamiao Hu, Jaspreet Kaur, Vanlata H Patel, Ludwik K Malendowicz, Hanna Komarowska, Hendrik Lehnert, and Harpal S Randeva
J. Endocrinol. 2015; 226:1-11.

Ionizing Radiation Perturbs Cell Cycle Progression of Neural Precursors in the Subventricular Zone Without Affecting Their Long-Term Self-Renewal

Hongxin Chen, Matthew T Goodus, Sonia M de Toledo, Edouard I Azzam, Steven W Levison, and Nizar Souayah
ASN Neuro. 2015; 7:1759091415578026.

Splicing function of mitotic regulators links R-loop-mediated DNA damage to tumor cell killing

Yihan Wan, Xiaobin Zheng, Haiyang Chen, Yuxuan Guo, Hao Jiang, Xiaonan He, Xueliang Zhu, and Yixian Zheng
J. Cell Biol. 2015; 209:235-246.

Cerebral Cavernous Malformation-1 Protein Controls DLL4-Notch3 Signaling Between the Endothelium and Pericytes

Gerald B. Schulz, Elfriede Wieland, Joycelyn Wüstehube-Lausch, Gwénola Boulday, Iris Moll, Elisabeth Tournier-Lasserre, and Andreas Fischer
Stroke. 2015; 46:1337-1343.

Controlled induction of human pancreatic progenitors produces functional beta-like cells *in vitro*

Holger A Russ, Audrey V Parent, Jennifer J Ringler, Thomas G Hennings, Gopika G Nair, Mayya Shveygert, Tingxia Guo, Sapna Puri, Leena Haataja, Vincenzo Cirulli, Robert Blelloch, Greg L Szot, Peter Arvan, and Matthias Hebrok
EMBO J. 23 April 2015, 10.15252/embj.201591058.

Bovine macrophages sense *Escherichia coli* Shiga toxin 1

Christian Menge, Daniela Loos, Philip S Bridger, Stefanie Barth, Dirk Werling, and Georg Baljer
Innate Immunity. 23 April 2015, 10.1177/1753425915581215.



Clonal restriction and predominance of regulatory T cells in coronary thrombi of patients with acute coronary syndromes

Roland Klingenberg, Chad E. Brokopp, Audrey Grivès, Anaïs Courtier, Milosz Jaguszewski, Nicolas Pasqual, Eugenia Vlaskou Badra, Anika Lewandowski, Oliver Gaemperli, Simon P. Hoerstrup, Willibald Maier, Ulf Landmesser, Thomas F. Lüscher, and Christian M. Matter
Eur. Heart J. 2015; 36:1041-1048.

Human Cytomegalovirus Infection Interferes with the Maintenance and Differentiation of Trophoblast Progenitor Cells of the Human Placenta

Takako Tabata, Matthew Petitt, Martin Zydek, June Fang-Hoover, Nicholas Larocque, Mitsuru Tsuge, Matthew Gormley, Lawrence M. Kauvar, and Lenore Pereira
J. Virol. 2015; 89:5134-5147.

Structure-based discovery of NANOG variant with enhanced properties to promote self-renewal and reprogramming of pluripotent stem cells

Yohei Hayashi, Laura Caboni, Debanu Das, Fumiaki Yumoto, Thomas Clayton, Marc C. Deller, Phuong Nguyen, Carol L. Farr, Hsiu-Ju Chiu, Mitchell D. Miller, Marc-André Elsliger, Ashley M. Deacon, Adam Godzik, Scott A. Lesley, Kiichiro Tomoda, Bruce R. Conklin, Ian A. Wilson, Shinya Yamanaka, and Robert J. Fletterick
PNAS. 30 March 2015, 10.1073/pnas.1502855112.



Seeding of Recipient-Originated Epithelial Cells Attenuates Epithelial to Mesenchymal Transition in Rat Tracheal Allotransplantation

Xun Huang, Xiaolong Yan, Zhipei Zhang, and Xiaofei Li

Otolaryngology -- Head and Neck Surgery. 27 March 2015, 10.1177/0194599815577102.

Characterization of DIP0733, a multi-functional virulence factor of *Corynebacterium diphtheriae*

Camila Azevedo Antunes, Louisy Sanches dos Santos, Elena Hacker, Stefanie Köhler, Korbinian Bösl, Lisa Ott, Maria das Graças de Luna, Raphael Hirata, Jr, Vasco Ariston de Carvalho Azevedo, Ana-Luiza Mattos-Guaraldi, and Andreas Burkovski

Microbiology. 2015; 161:639-647.

Cadherin Engagement Improves Insulin Secretion of Single Human β -Cells

Geraldine Parnaud, Vanessa Lavallard, Benoît Bedat, David Matthey-Doret, Philippe Morel, Thierry Berney, and Domenico Bosco

Diabetes. 2015; 64:887-896.

Use of the Site-Specific Retargeting Jump-In Platform Cell Line to Support Biologic Drug Discovery

Robin Butler, David Hornigold, Ling Huang, Catherine Huntington, Tim London, Janette Dillon, Natalie J. Tigue, Alessandra Rossi, Jacqueline Naylor, and Trevor Wilkinson

J Biomol Screen. 2015; 20:528-535.

Duration of culture and sonic hedgehog signaling differentially specify PV versus SST cortical interneuron fates from embryonic stem cells

Jennifer A. Tyson, Ethan M. Goldberg, Asif M. Maroof, Qing Xu, Timothy J. Petros, and Stewart A. Anderson

Development. 2015; 142:1267-1278.

Pharmacological Characterization of AZD5069, a Slowly Reversible CXC Chemokine Receptor 2 Antagonist

David J. Nicholls, Katherine Wiley, Ian Dainty, Fraser MacIntosh, Caroline Phillips, Alasdair Gaw, and Carina Kärrman Mårdh

J. Pharmacol. Exp. Ther. 2015; 353:340-350.

Two ZNF509 (ZBTB49) isoforms induce cell-cycle arrest by activating transcription of *p21/CDKN1A* and *RB* upon exposure to genotoxic stress

Bu-Nam Jeon, Min-Kyeong Kim, Jae-Hyeon Yoon, Min-Young Kim, Haemin An, Hee-Jin Noh, Won-II Choi, Dong-In Koh, and Man-Wook Hur

Nucleic Acids Res. 2015; 42:11447-11461.

Global identification of target recognition and cleavage by the Microprocessor in human ES cells

Youngmo Seong, Do-Hwan Lim, Augustine Kim, Jae Hong Seo, Young Sik Lee, Hoseok Song, and Young-Soo Kwon

Nucleic Acids Res. 17 October 2014, 10.1093/nar/gku957.

The Arf6 GTPase-activating Proteins ARAP2 and ACAP1 Define Distinct Endosomal Compartments That Regulate Integrin $\alpha 5\beta 1$ Traffic

Pei-Wen Chen, Ruibai Luo, Xiaoying Jian, and Paul A. Randazzo

J. Biol. Chem. 2014; 289:30237-30248.



Novel Role for Matricellular Proteins in the Regulation of Islet β Cell Survival: THE EFFECT OF SPARC ON SURVIVAL, PROLIFERATION, AND SIGNALING

Claire L. Ryall, Katrina Vilorio, Fadel Lhaf, Anthony J. Walker, Aileen King, Peter Jones, David Mackintosh, Rosemary McNeice, Hemant Kocher, Malin Flodstrom-Tullberg, Charlotte Edling, and Natasha J. Hill

J. Biol. Chem. 2014; 289:30614-30624.

Tyrosine phosphorylation of LRP6 by Src and Fer inhibits Wnt/ β -catenin signalling

Qing Chen, Yi Su, Janine Wesslowski, Anja I Hagemann, Mirana Ramialison, Joachim Wittbrodt, Steffen Scholpp, and Gary Davidson

EMBO Rep. 12 November 2014, 10.15252/embr.201439644.

Multi-kilobase homozygous targeted gene replacement in human induced pluripotent stem cells

Susan M. Byrne, Luis Ortiz, Prashant Mali, John Aach, and George M. Church

Nucleic Acids Res. 20 November 2014, 10.1093/nar/gku1246.

Feedback Induction of a Photoreceptor-specific Isoform of Retinoid-related Orphan Nuclear Receptor β by the Rod Transcription Factor NRL

Yulong Fu, Hong Liu, Lily Ng, Jung-Woong Kim, Hong Hao, Anand Swaroop, and Douglas Forrest

J. Biol. Chem. 2014; 289:32469-32480.

G Protein Signaling Modulator-3 Inhibits the Inflammasome Activity of NLRP3

Patrick M. Giguère, Bryan J. Gall, Ejiofor A. D. Ezekwe, Jr., Geneviève Laroche, Brian K. Buckley, Chahnaz Kebaier, Justin E. Wilson, Jenny P. Ting, David P. Siderovski, and Joseph A. Duncan

J. Biol. Chem. 2014; 289:33245-33257.

Biased signaling regulates the pleiotropic effects of the urotensin II receptor to modulate its cellular behaviors

Cédric Brulé, Nicolas Perzo, Jane-Eileen Joubert, Xavier Sainsily, Richard Leduc, Hélène Castel, and Laurent Prézeau

FASEB J. 2014; 28:5148-5162.

Advances in cell culture: anchorage dependence

Otto-Wilhelm Merten

Phil Trans R Soc B. 2014; 370:20140040.

Syk and Src Family Kinases Regulate C-type Lectin Receptor 2 (CLEC-2)-mediated Clustering of Podoplanin and Platelet Adhesion to Lymphatic Endothelial Cells

Alice Y. Pollitt, Natalie S. Poulter, Eelo Gitz, Leyre Navarro-Nuñez, Ying-Jie Wang, Craig E. Hughes, Steven G. Thomas, Bernhard Nieswandt, Michael R. Douglas, Dylan M. Owen, David G. Jackson, Michael L. Dustin, and Steve P. Watson

J. Biol. Chem. 2014; 289:35695-35710.

Transplantation of cerebellar neural stem cells improves motor coordination and neuropathology in Machado-Joseph disease mice

Liliana S. Mendonça, Clévio Nóbrega, Hirokazu Hirai, Brian K. Kaspar, and Luís Pereira de Almeida

Brain. 2015; 138:320-335.



Pivotal role of choline metabolites in remyelination

Thomas Skripuletz, Arndt Manzel, Karoline Gropengießer, Nora Schäfer, Viktoria Gudi, Vikramjeet Singh, Laura Salinas Tejedor, Stefanie Jörg, Anna Hammer, Elke Voss, Franca Vulinovic, Diane Degen, Rebecca Wolf, De-Hyung Lee, Refik Pul, Darius Moharreggh-Khiabani, Wolfgang Baumgärtner, Ralf Gold, Ralf A. Linker, and Martin Stangel
Brain. 2015; 138:398-413.

Translational read-through of the RP2 Arg120stop mutation in patient iPSC-derived retinal pigment epithelium cells

Nele Schwarz, Amanda-Jayne Carr, Amelia Lane, Fabian Moeller, Li Li Chen, Mònica Aguilà, Britta Nommiste, Manickam N. Muthiah, Naheed Kanuga, Uwe Wolfrum, Kerstin Nagel-Wolfrum, Lyndon da Cruz, Peter J. Coffey, Michael E. Cheetham, and Alison J. Hardcastle
Hum. Mol. Genet. 2015; 24:972-986.

Atoh7 promotes the differentiation of Müller cells-derived retinal stem cells into retinal ganglion cells in a rat model of glaucoma

Wei-tao Song, Xue-yong Zhang, and Xiao-bo Xia
Experimental Biology and Medicine. 20 February 2015, 10.1177/1535370214560965

Two ZNF509 (ZBTB49) isoforms induce cell-cycle arrest by activating transcription of p21/CDKN1A and RB upon exposure to genotoxic stress

Bu-Nam Jeon, Min-Kyeong Kim, Jae-Hyeon Yoon, Min-Young Kim, Haemin An, Hee-Jin Noh, Won-Il Choi, Dong-In Koh, and Man-Wook Hur
Nucleic Acids Res. 2015; 42:11447-11461.

The TGF- β -inducible miR-23a cluster attenuates IFN- γ levels and antigen-specific cytotoxicity in human CD8⁺ T cells

P. Anoop Chandran, Andreas Keller, Lasse Weinmann, Ahmed Adel Seida, Matthias Braun, Katerina Andreev, Birgitt Fischer, Evi Horn, Stefanie Schwinn, Markus Junker, Roland Houben, Yvonne Dombrowski, Johannes Dietl, Susetta Finotto, Matthias Wöfl, Gunter Meister, and Jörg Wischhusen
J. Leukoc. Biol. 2014; 96:633-645.

R-flurbiprofen attenuates experimental autoimmune encephalomyelitis in mice

Katja Schmitz, Natasja de Bruin, Philipp Bishay, Julia Männich, Annett Häussler, Christine Altmann, Nerea Ferreirós, Jörn Lötsch, Alfred Ultsch, Michael J Parnham, Gerd Geisslinger, and Irmgard Tegeder
EMBO Mol Med. 30 September 2014, 10.15252/emmm.201404168.

Biological and medical applications of a brain-on-a-chip

David Pamies, Thomas Hartung, and Helena T Hogberg
Experimental Biology and Medicine. 2014; 239:1096-1107.

Prolyl-4-hydroxylase domain 3 (PHD3) is a critical terminator for cell survival of macrophages under stress conditions

Lija Swain, Marieke Wottawa, Annette Hillemann, Angelika Beneke, Haruki Odagiri, Kazutoyo Terada, Motoyoshi Endo, Yuichi Oike, Katja Farhat, and Dörthe M. Katschinski
J. Leukoc. Biol. 2014; 96:365-375.



SAA drives proinflammatory heterotypic macrophage differentiation in the lung via CSF-1R-dependent signaling

Desiree Anthony, Jonathan L. McQualter, Maria Bishara, Ee X. Lim, Selcuk Yatmaz, Hwei Jiunn Seow, Michelle Hansen, Michelle Thompson, John A. Hamilton, Louis B. Irving, Bruce D. Levy, Ross Vlahos, Gary P. Anderson, and Steven Bozinovski
FASEB J. 2014; 28:3867-3877.

Divergent LIN28-mRNA associations result in translational suppression upon the initiation of differentiation

Shen Mynn Tan, Gabriel Altschuler, Tian Yun Zhao, Haw Siang Ang, Henry Yang, Bing Lim, Leah Vardy, Winston Hide, Andrew M. Thomson, and Ricky R. Lareu
Nucleic Acids Res. 2014; 42:7997-8007.

Role of Promyelocytic Leukemia Zinc Finger (PLZF) in Cell Proliferation and Cyclin-dependent Kinase Inhibitor 1A (p21^{WAF/CDKN1A}) Gene Repression

Won-Il Choi, Min-Young Kim, Bu-Nam Jeon, Dong-In Koh, Chae-Ok Yun, Yan Li, Choong-Eun Lee, Jiyoung Oh, Kunhong Kim, and Man-Wook Hur
J. Biol. Chem. 2014; 289:18625-18640.

Neurotrophin receptor TrkB promotes lung adenocarcinoma metastasis

Kerstin W. Sinkevicius, Christina Kriegel, Kelly J. Bellaria, Jaewon Lee, Allison N. Lau, Kristen T. Leeman, Pengcheng Zhou, Alexander M. Beede, Christine M. Fillmore, Deborah Caswell, Juliana Barrios, Kwok-Kin Wong, Lynette M. Sholl, Thorsten M. Schlaeger, Roderick T. Bronson, Lucian R. Chiriac, Monte M. Winslow, Marcia C. Haigis, and Carla F. Kim
PNAS. 30 June 2014, 10.1073/pnas.1404399111.

CstF-64 supports pluripotency and regulates cell cycle progression in embryonic stem cells through histone 3' end processing

Bradford A. Youngblood, Petar N. Grozdanov, and Clinton C. MacDonald
Nucleic Acids Res. 23 June 2014, 10.1093/nar/gku551.

Stable Enhanced Green Fluorescent Protein Expression After Differentiation and Transplantation of Reporter Human Induced Pluripotent Stem Cells Generated by AAVS1 Transcription Activator-Like Effector Nucleases

Yongquan Luo, Chengyu Liu, Trevor Cerbini, Hong San, Yongshun Lin, Guokai Chen, Mahendra S. Rao, and Jizhong Zou
Stem Cells Trans Med. 2014; 3:821-835.

Biological and medical applications of a brain-on-a-chip

David Pamies, Thomas Hartung, and Helena T Hogberg
Experimental Biology and Medicine. 9 June 2014, 10.1177/1535370214537738.

Mechanism for neutralizing activity by the anti-CMV gH/gL monoclonal antibody MSL-109

Ashley E. Fouts, Laëtitia Comps-Agrar, Katharina F. Stengel, Diego Ellerman, Allyn J. Schoeffler, Søren Warming, Dan L. Eaton, and Becket Feierbach
PNAS. 2014; 111:8209-8214.



Spontaneous *In Vitro* Senescence of Glioma Cells Confirmed by an Antibody Against IDH1^{R132H}

EWELINA STOCZYNSKA-FIDELUS, WALDEMAR OCH, PIOTR RIESKE, MICHAL BIENKOWSKI, MATEUSZ BANASZCZYK, MARTA WINIECKA-KLIMEK, JOLANTA ZIEBA, KAROLINA JANIK, KAMILA ROSIAK, CEZARY TREDA, ROBERT STAWSKI, ANNA RADOMIAK-ZALUSKA, and SYLWESTER PIASKOWSKI
Anticancer Res. 2014; 34:2859-2867.

Quantitative phosphoproteomic analysis reveals system-wide signaling pathways downstream of SDF-1/CXCR4 in breast cancer stem cells

Tingfang Yi, Bo Zhai, Yonghao Yu, Yoshikawa Kiyotsugu, Thomas Raschle, Manuel Etzkorn, Hee-Chan Seo, Michal Nagiec, Rafael E. Luna, Ellis L. Reinherz, John Blenis, Steven P. Gygi, and Gerhard Wagner
PNAS. 2014; 111:E2182-E2190.

Multifaceted Activities of Type I Interferon Are Revealed by a Receptor Antagonist

Doron Levin, William M. Schneider, Hans-Heinrich Hoffmann, Ganit Yarden, Alberto Giovanni Busetto, Ohad Manor, Nanaocha Sharma, Charles M. Rice, and Gideon Schreiber
Sci. Signal. 2014; 7:ra50.

Distinct and separable roles for EZH2 in neurogenic astroglia

William W Hwang, Ryan D Salinas, Jason J Siu, Kevin W Kelley, Ryan N Delgado, Mercedes F Paredes, Arturo Alvarez-Buylla, Michael C Oldham, and Daniel A Lim
eLife Sci. 2014; 3:e02439.

Potentially immunogenic proteins expressed similarly in human embryonic stem cells and induced pluripotent stem cells

Kristen M Maynard, Upasana Arvindam, Madeline Cross, and Meri T Firpo
Experimental Biology and Medicine. 2014; 239:484-488.

Tribbles Homolog 3 Attenuates Mammalian Target of Rapamycin Complex-2 Signaling and Inflammation in the Diabetic Kidney

Emily Borsting, Shalin V. Patel, Anne-Emilie Declèves, Sarah J. Lee, Qazi M. Rahman, Shizuo Akira, Joe Satriano, Kumar Sharma, Volker Vallon, and Robyn Cunard
J. Am. Soc. Nephrol. 27 March 2014, 10.1681/ASN.2013070811.

LORD-Q: a long-run real-time PCR-based DNA-damage quantification method for nuclear and mitochondrial genome analysis

Simon Lehle, Dominic G. Hildebrand, Britta Merz, Peter N. Malak, Michael S. Becker, Peter Schmezer, Frank Essmann, Klaus Schulze-Osthoff, and Oliver Rothfuss
Nucleic Acids Res. 2014; 42:e41.

Systemic hydrogen sulfide administration partially restores normal alveolarization in an experimental animal model of bronchopulmonary dysplasia

Alicia Madurga, Ivana Mizíková, Jordi Ruiz-Camp, István Vadász, Susanne Herold, Konstantin Mayer, Heinz Fehrenbach, Werner Seeger, and Rory E. Morty
Am J Physiol Lung Cell Mol Physiol. 2014; 306:L684-L697.

The H3K4 methyltransferase Setd1a is first required at the epiblast stage, whereas Setd1b becomes essential after gastrulation

Anita S. Bledau, Kerstin Schmidt, Katrin Neumann, Undine Hill, Giovanni Ciotta, Ashish Gupta, Davi Coe Torres, Jun Fu, Andrea Kranz, A. Francis Stewart, and Konstantinos Anastassiadis
Development. 2014; 141:1022-1035.



Analysis of the tumor-initiating and metastatic capacity of PDX1-positive cells from the adult pancreas

Irene Ischenko, Oleksi Petrenko, and Michael J. Hayman
PNAS. 18 February 2014, 10.1073/pnas.1319911111.

β -Cell Dysfunction Due to Increased ER Stress in a Stem Cell Model of Wolfram Syndrome

Linshan Shang, Haiqing Hua, Kylie Foo, Hector Martinez, Kazuhisa Watanabe, Matthew Zimmer, David J. Kahler, Matthew Freeby, Wendy Chung, Charles LeDuc, Robin Goland, Rudolph L. Leibel, and Dieter Egli
Diabetes. 2014; 63:923-933.

Direct Conversion of Human Fibroblasts into Neuronal Restricted Progenitors

Qingjian Zou, Quanmei Yan, Juan Zhong, Kepin Wang, Haitao Sun, Xiaoling Yi, and Liangxue Lai
J. Biol. Chem. 2014; 289:5250-5260.

The familial Alzheimer's disease APPV717I mutation alters APP processing and Tau expression in iPSC-derived neurons

Christina R. Muratore, Heather C. Rice, Priya Srikanth, Dana G. Callahan, Taehwan Shin, Lawrence N. P. Benjamin, Dominic M. Walsh, Dennis J. Selkoe, and Tracy L. Young-Pearse
Hum. Mol. Genet. 26 February 2014, 10.1093/hmg/ddu064.

ONSL and OSKM cocktails act synergistically in reprogramming human somatic cells into induced pluripotent stem cells

Laura Jung, Philippe Tropel, Yohann Moal, Marius Teletin, Eric Jeandidier, Régis Gayon, Christian Himmelspach, Fiona Bello, Cécile André, Adeline Tosch, Ahmed Mansouri, Catherine Bruant-Rodier, Pascale Bouillé, and Stéphane Viville
Mol. Hum. Reprod. 5 March 2014, 10.1093/molehr/gau012.

Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild-type neurons

Emily Cunningham Williams, Xiaofen Zhong, Ahmed Mohamed, Ronghui Li, Yan Liu, Qiping Dong, Gene E. Ananiev, Jonathan Chern Choong Mok, Benjamin Ray Lin, Jianfeng Lu, Cassandra Chiao, Rachel Cherny, Hongda Li, Su-Chun Zhang, and Qiang Chang
Hum. Mol. Genet. 27 February 2014, 10.1093/hmg/ddu008.

Human scavenger protein AIM increases foam cell formation and CD36-mediated oxLDL uptake

Núria Amézaga, Lucía Sanjurjo, Josep Julve, Gemma Aran, Begoña Pérez-Cabezas, Patricia Bastos-Amador, Carolina Armengol, Ramon Vilella, Joan Carles Escolà-Gil, Francisco Blanco-Vaca, Francesc E. Borràs, Annabel F. Valledor, and Maria-Rosa Sarrias
J. Leukoc. Biol. 2014; 95:509-520.

CXCR4 drives the metastatic phenotype in breast cancer through induction of CXCR2 and activation of MEK and PI3K pathways

Tammy Sobolik, Ying-jun Su, Sam Wells, Gregory D. Ayers, Rebecca S. Cook, and Ann Richmond
Mol. Biol. Cell. 2014; 25:566-582.

Inhibition of DNA Double-Strand Break Repair by the Dual PI3K/mTOR Inhibitor NVP-BE2235 as a Strategy for Radiosensitization of Glioblastoma

Carlos Rodrigo Gil del Alcazar, Molly Catherine Hardebeck, Bipasha Mukherjee, Nozomi Tomimatsu, Xiaohuan Gao, Jingsheng Yan, Xian-Jin Xie, Robert Bachoo, Li Li, Aryn A. Habib, and Sandeep Burma
Clin. Cancer Res. 2014; 20:1235-1248.



Potentially immunogenic proteins expressed similarly in human embryonic stem cells and induced pluripotent stem cells

Kristen M Maynard, Upasana Arvindam, Madeline Cross, and Meri T Firpo
Experimental Biology and Medicine. 4 March 2014, 10.1177/1535370214522936.

DICE, an efficient system for iterative genomic editing in human pluripotent stem cells

Fangfang Zhu, Matthew Gamboa, Alfonso P. Farruggio, Simon Hippenmeyer, Bosiljka Tasic, Birgitt Schüle, Yanru Chen-Tsai, and Michele P. Calos
Nucleic Acids Res. 2014; 42:e34.

CB₁ Cannabinoid Receptor-Dependent Activation of mTORC1/Pax6 Signaling Drives Tbr2 Expression and Basal Progenitor Expansion in the Developing Mouse Cortex

Javier Díaz-Alonso, Tania Aguado, Adán de Salas-Quiroga, Zaira Ortega, Manuel Guzmán, and Ismael Galve-Roperh
Cereb Cortex. 7 March 2014, 10.1093/cercor/bhu039.

Differential Endometrial Cell Sensitivity to a Cholesterol-Dependent Cytolysin Links *Trueperella pyogenes* to Uterine Disease in Cattle

Matthew R. Amos, Gareth D. Healey, Robert J. Goldstone, Suman M. Mahan, Anna Düvel, Hans-Joachim Schuberth, Olivier Sandra, Peter Zieger, Isabelle Dieuzy-Labaye, David G.E. Smith, and Iain Martin Sheldon
Biol Reprod. 2014; 90:54.

Seminal plasma induces global transcriptomic changes associated with cell migration, proliferation and viability in endometrial epithelial cells and stromal fibroblasts

Joseph C. Chen, Brittni A. Johnson, David W. Erikson, Terhi T. Piltonen, Fatima Barragan, Simon Chu, Nargis Kohgadari, Juan C. Irwin, Warner C. Greene, Linda C. Giudice, and Nadia R. Roan
Hum. Reprod. 13 March 2014, 10.1093/humrep/deu047.

Loss of *Tsc1* accelerates malignant gliomagenesis when combined with oncogenic signals

Daisuke Yamada, Takayuki Hoshii, Shingo Tanaka, Ahmed M. Hegazy, Masahiko Kobayashi, Yuko Tadokoro, Kumiko Ohta, Masaya Ueno, Mohamed A.E. Ali, and Atsushi Hirao
J. Biochem. 2014; 155:227-233.

Vascular endothelial growth factor coordinates islet innervation via vascular scaffolding

Rachel B. Reinert, Qing Cai, Ji-Young Hong, Jennifer L. Plank, Kristie Aamodt, Nripesh Prasad, Radhika Aramandla, Chunhua Dai, Shawn E. Levy, Ambra Pozzi, Patricia A. Labosky, Christopher V. E. Wright, Marcela Brissova, and Alvin C. Powers
Development. 2014; 141:1480-1491.

Mutant LRRK2 Toxicity in Neurons Depends on LRRK2 Levels and Synuclein But Not Kinase Activity or Inclusion Bodies

Gaia Skibinski, Ken Nakamura, Mark R. Cookson, and Steven Finkbeiner
J. Neurosci. 2014; 34:418-433.

Analysis of the tumor-initiating and metastatic capacity of PDX1-positive cells from the adult pancreas

Irene Ischenko, Oleksi Petrenko, and Michael J. Hayman
PNAS. 18 February 2014, 10.1073/pnas.1319911111.



The H3K4 methyltransferase Setd1a is first required at the epiblast stage, whereas Setd1b becomes essential after gastrulation

Anita S. Bledau, Kerstin Schmidt, Katrin Neumann, Undine Hill, Giovanni Ciotta, Ashish Gupta, Davi Coe Torres, Jun Fu, Andrea Kranz, A. Francis Stewart, and Konstantinos Anastassiadis
Development. 2014; 141:1022-1035.

Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild-type neurons

Emily Cunningham Williams, Xiaofen Zhong, Ahmed Mohamed, Ronghui Li, Yan Liu, Qiping Dong, Gene E. Ananiev, Jonathan Chern Choong Mok, Benjamin Ray Lin, Jianfeng Liu, Cassandra Chiao, Rachel Cherney, Hongda Li, Su-Chun Zhang, and Qiang Chang
Hum. Mol. Genet. 23 January 2014, 10.1093/hmg/ddu008.

A cellular system for quantitation of vitamin K cycle activity: structure-activity effects on vitamin K antagonism by warfarin metabolites

Jamil A. Haque, Matthew G. McDonald, John D. Kulman, and Allan E. Rettie
Blood. 2014; 123:582-589.

Epigenetic Regulation of miR-302 by JMJD1C Inhibits Neural Differentiation of Human Embryonic Stem Cells

Jianle Wang, Jung W. Park, Hicham Drissi, Xiaofang Wang, and Ren-He Xu
J. Biol. Chem. 2014; 289:2384-2395.

Roles of PKC Isoforms in PMA-Induced Modulation of the hERG Channel (Kv11.1)

Olivier Radresa, António Guia, and Ghayath Baroudi
J Biomol Screen. 24 January 2014, 10.1177/1087057113520227.

The WNT receptor FZD7 is required for maintenance of the pluripotent state in human embryonic stem cells

Antonio Fernandez, Ian J. Huggins, Luca Perna, David Brafman, Desheng Lu, Shiyin Yao, Terry Gaasterland, Dennis A. Carson, and Karl Willert
PNAS. 13 January 2014, 10.1073/pnas.1323697111.

Concurrent Generation of Functional Smooth Muscle and Endothelial Cells via a Vascular Progenitor

Melanie Marchand, Erica K. Anderson, Smruti M. Phadnis, Michael T. Longaker, John P. Cooke, Bertha Chen, and Renee A. Reijo Pera
Stem Cells Trans Med. 2014; 3:91-97.

Loss of Tsc1 accelerates malignant gliomagenesis when combined with oncogenic signals

Daisuke Yamada, Takayuki Hoshii, Shingo Tanaka, Ahmed M. Hegazy, Masahiko Kobayashi, Yuko Tadokoro, Kumiko Ohta, Masaya Ueno, Mohamed A.E. Ali, and Atsushi Hirao
J. Biochem. 17 January 2014, 10.1093/jb/mvt112.

Direct conversion of patient fibroblasts demonstrates non-cell autonomous toxicity of astrocytes to motor neurons in familial and sporadic ALS

Kathrin Meyer, Laura Ferraiuolo, Carlos J. Miranda, Shibi Likhite, Sohyun McElroy, Samantha Rensch, Dara Ditsworth, Clotilde Lagier-Tourenne, Richard A. Smith, John Ravits, Arthur H. Burghes, Pamela J. Shaw, Don W. Cleveland, Stephen J. Kolb, and Brian K. Kaspar
PNAS. 2014; 111:829-832.



A novel and essential role for Fc γ RIIIa in cancer cell-induced platelet activation

Annachiara Mitrugno, David Williams, Steven W. Kerrigan, and Niamh Moran
Blood. 2014; 123:249-260.

Characterization of the Adenosine Pharmacology of Ticagrelor Reveals Therapeutically Relevant Inhibition of Equilibrative Nucleoside Transporter 1

Duncan Armstrong, Claire Summers, Lorna Ewart, Sven Nylander, James E. Sidaway, and J. J. J. van Giezen
Journal of Cardiovascular Pharmacology and Therapeutics. 10 January 2014, 10.1177/1074248413511693.

Clonal restriction and predominance of regulatory T cells in coronary thrombi of patients with acute coronary syndromes

Roland Klingenberg, Chad E. Brokopp, Audrey Grivès, Anaïs Courtier, Milosz Jaguszewski, Nicolas Pasqual, Eugenia Vlaskou Badra, Anika Lewandowski, Oliver Gaemperli, Simon P. Hoerstrup, Willibald Maier, Ulf Landmesser, Thomas F. Lüscher, and Christian M. Matter
Eur. Heart J. 12 January 2014, 10.1093/eurheartj/eh543.

A modular and flexible ESC-based mouse model of pancreatic cancer

Michael Saborowski, Anna Saborowski, John P. Morris, IV, Benedikt Bosbach, Lukas E. Dow, Jerry Pelletier, David S. Klimstra, and Scott W. Lowe
Genes & Dev. 2014; 28:85-97.

TRAIL-coated leukocytes that kill cancer cells in the circulation

Michael J. Mitchell, Elizabeth Wayne, Kuldeepsinh Rana, Chris B. Schaffer, and Michael R. King
PNAS. 6 January 2014, 10.1073/pnas.1316312111.

Comprehensive Quantitative Comparison of the Membrane Proteome, Phosphoproteome, and Sialome of Human Embryonic and Neural Stem Cells

Marcella Nunes Melo-Braga, Melanie Schulz, Qiuyue Liu, Andrzej Swistowski, Giuseppe Palmisano, Kasper Engholm-Keller, Lene Jakobsen, Xianmin Zeng, and Martin Røssel Larsen
Mol. Cell. Proteomics. 2014; 13:311-328.

IL-32 Promotes Angiogenesis

Claudia A. Nold-Petry, Ina Rudloff, Yvonne Baumer, Menotti Ruvo, Daniela Marasco, Paolo Botti, Laszlo Farkas, Steven X. Cho, Jarod A. Zepp, Tania Azam, Hannah Dinkel, Brent E. Palmer, William A. Boisvert, Carlyne D. Cool, Laima Taraseviciene-Stewart, Bas Heinhuis, Leo A. B. Joosten, Charles A. Dinarello, Norbert F. Voelkel, and Marcel F. Nold
J. Immunol. 2014; 192:589-602.

Multiple knockout mouse models reveal lincRNAs are required for life and brain development

Martin Sauvageau, Loyal A Goff, Simona Lodato, Boyan Bonev, Abigail F Groff, Chiara Gerhardinger, Diana B Sanchez-Gomez, Ezgi Hacisuleyman, Eric Li, Matthew Spence, Stephen C Liapis, William Mallard, Michael Morse, Mavis R Swerdel, Michael F D'Ecclessis, Jennifer C Moore, Venus Lai, Guochun Gong, George D Yancopoulos, David Friendewey, Manolis Kellis, Ronald P Hart, David M Valenzuela, Paola Arlotta, and John L Rinn
eLife Sci. 2013; 2:e01749.



Direct conversion of patient fibroblasts demonstrates non-cell autonomous toxicity of astrocytes to motor neurons in familial and sporadic ALS

Kathrin Meyer, Laura Ferraiuolo, Carlos J. Miranda, Shibi Likhite, Sohyun McElroy, Samantha Rensch, Dara Ditsworth, Clotilde Lagier-Tourenne, Richard A. Smith, John Ravits, Arthur H. Burghes, Pamela J. Shaw, Don W. Cleveland, Stephen J. Kolb, and Brian K. Kaspar
PNAS. 30 December 2013, 10.1073/pnas.1314085111.

Macrophage-derived reactive oxygen species suppress miR-328 targeting CD44 in cancer cells and promote redox adaptation

Takatsugu Ishimoto, Hidetaka Sugihara, Masayuki Watanabe, Hiroshi Sawayama, Masaaki Iwatsuki, Yoshifumi Baba, Hirohisa Okabe, Kosei Hidaka, Naomi Yokoyama, Keisuke Miyake, Momoko Yoshikawa, Osamu Nagano, Yoshihiro Komohara, Motohiro Takeya, Hideyuki Saya, and Hideo Baba
Carcinogenesis. 30 December 2013, 10.1093/carcin/bgt402.

A fully defined and scalable 3D culture system for human pluripotent stem cell expansion and differentiation

Yuguo Lei and David V. Schaffer
PNAS. 2013; 110:E5039-E5048.

PI3K/Akt1 signalling specifies foregut precursors by generating regionalized extra-cellular matrix

S Nahuel Villegas, Michaela Rothová, Martin E Barrios-Llerena, Maria Pulina, Anna-Katerina Hadjantonakis, Thierry Le Bihan, Sophie Astrof, and Joshua M Brickman
eLife Sci. 2013; 2:e00806.

LORD-Q: a long-run real-time PCR-based DNA-damage quantification method for nuclear and mitochondrial genome analysis

Simon Lehle, Dominic G. Hildebrand, Britta Merz, Peter N. Malak, Michael S. Becker, Peter Schmezer, Frank Essmann, Klaus Schulze-Osthoff, and Oliver Rothfuss
Nucleic Acids Res. 26 December 2013, 10.1093/nar/gkt1349.

A novel C19MC amplified cell line links Lin28/let-7 to mTOR signaling in embryonal tumor with multilayered rosettes

Tara Spence, Christian Perotti, Patrick Sin-Chan, Daniel Picard, Wei Wu, Anjali Singh, Colleen Anderson, Michael D. Blough, J. Gregory Cairncross, Lucie Lafay-Cousin, Douglas Strother, Cynthia Hawkins, Aru Narendran, Annie Huang, and Jennifer A. Chan
Neuro Oncology. 2014; 16:62-71.

Role of Calcium and EPAC in Norepinephrine-Induced Ghrelin Secretion

Bharath K. Mani, Jen-Chieh Chuang, Lilja Kjalarsdottir, Ichiro Sakata, Angela K. Walker, Anna Kuperman, Sherri Osborne-Lawrence, Joyce J. Repa, and Jeffrey M. Zigman
Endocrinology. 2014; 155:98-107.

Long-Term Neuroprotective Effects of NT-4-Engineered Mesenchymal Stem Cells Injected Intravitreally in a Mouse Model of Acute Retinal Injury

Anna Machalinska, Milosz Kawa, Ewa Pius-Sadowska, Jacek Stepniewski, Witold Nowak, Dorota Roginska, Katarzyna Kaczynska, Bartłomiej Baumert, Barbara Wiszniewska, Alicja Józkwicz, Józef Dulak, and Boguslaw Machalinski
Invest. Ophthalmol. Vis. Sci. 2013; 54:8292-8305.



PI3K/Akt1 signalling specifies foregut precursors by generating regionalized extra-cellular matrix

S Nahuel Villegas, Michaela Rothová, Martin E Barrios-Llerena, Maria Pulina, Anna-Katerina Hadjantonakis, Thierry Le Bihan, Sophie Astrof, and Joshua M Brickman
eLife Sci. 2013; 2:e00806.

Thymosin beta 4 gene silencing decreases stemness and invasiveness in glioblastoma

Hans-Georg Wirsching, Shanmugarajan Krishnan, Ana-Maria Florea, Karl Frei, Niklaus Krayenbühl, Kathy Hasenbach, Guido Reifenberger, Michael Weller, and Ghazaleh Tabatabai
Brain. 18 December 2013, 10.1093/brain/awt333.

Rapid and Efficient Differentiation of Human Pluripotent Stem Cells into Intermediate Mesoderm That Forms Tubules Expressing Kidney Proximal Tubular Markers

Albert Q. Lam, Benjamin S. Freedman, Ryuji Morizane, Paul H. Lerou, M. Todd Valerius, and Joseph V. Bonventre
J. Am. Soc. Nephrol. 19 December 2013, 10.1681/ASN.2013080831.

A disintegrin and metalloproteinases 10 and 17 modulate the immunogenicity of glioblastoma-initiating cells

Fabian Wolpert, Isabel Tritschler, Alexander Steinle, Michael Weller,, and Günter Eisele
Neuro Oncology. 9 December 2013, 10.1093/neuonc/not232.

A High-Throughput Screen for Teratogens Using Human Pluripotent Stem Cells

Sei Kameoka, Joshua Babiarez, Kyle Kolaja, and Eric Chiao
Toxicol. Sci. 12 December 2013, 10.1093/toxsci/kft239

The Orphan Adhesion G Protein-coupled Receptor GPR97 Regulates Migration of Lymphatic Endothelial Cells via the Small GTPases RhoA and Cdc42

Nadejda Valtcheva, Adriana Primorac, Giorgia Jurisic, Maija Hollmén, and Michael Detmar
J. Biol. Chem. 2013; 288:35736-35748.

CCAAT/enhancer binding protein-mediated regulation of TGF β receptor 2 expression determines the hepatoblast fate decision

Kazuo Takayama, Kenji Kawabata, Yasuhito Nagamoto, Mitsuru Inamura, Kazuo Ohashi, Hiroko Okuno, Tomoko Yamaguchi, Katsuhisa Tashiro, Fuminori Sakurai, Takao Hayakawa, Teruo Okano, Miho Kusada Furue, and Hiroyuki Mizuguchi
Development. 2014; 141:91-100.

Activation of the Wnt Pathway through AR79, a GSK3 β Inhibitor, Promotes Prostate Cancer Growth in Soft Tissue and Bone

Yuan Jiang, Jinlu Dai, Honglai Zhang, Joe L. Sottnik, Jill M. Keller, Katherine J. Escott, Hitesh J. Sanganeer, Zhi Yao, Laurie K. McCauley, and Evan T. Keller
Mol. Cancer Res. 2013; 11:1597-1610.

SILAC-Based Proteomics of Human Primary Endothelial Cell Morphogenesis Unveils Tumor Angiogenic Markers

Sara Zanivan, Federica Maione, Marco Y. Hein, Juan Ramon Hernández-Fernaund, Pawel Ostasiewicz, Enrico Giraud, and Matthias Mann
Mol. Cell. Proteomics. 2013; 12:3599-3611.



Response of primary glioblastoma cells to therapy is patient specific and independent of cancer stem cell phenotype

Shaun D. Fouse, Jean L. Nakamura, C. David James, Susan Chang, and Joseph F. Costello
Neuro Oncology. 4 December 2013, 10.1093/neuonc/not223

A novel C19MC amplified cell line links Lin28/let-7 to mTOR signaling in embryonal tumor with multilayered rosettes

Tara Spence, Christian Perotti, Patrick Sin-Chan, Daniel Picard, Wei Wu, Anjali Singh, Colleen Anderson, Michael D. Blough, J. Gregory Cairncross, Lucie Lafay-Cousin, Douglas Strother, Cynthia Hawkins, Aru Narendran, Annie Huang, and Jennifer A. Chan
Neuro Oncology. 4 December 2013, 10.1093/neuonc/not162

DICE, an efficient system for iterative genomic editing in human pluripotent stem cells

Fangfang Zhu, Matthew Gamboa, Alfonso P. Farruggio, Simon Hippenmeyer, Bosiljka Tasic, Birgitt Schüle, Yanru Chen-Tsai, and Michele P. Calos
Nucleic Acids Res. 4 December 2013, 10.1093/nar/gkt1290

Polycomb Repressive Complex 2 Silences Human Cytomegalovirus Transcription in Quiescent Infection Models

Christopher G. Abraham and Caroline A. Kulesza
J. Virol. 2013; 87:13193-13205.

Nuclear interferon-inducible protein 16 promotes silencing of herpesviral and transfected DNA

Megan H. Orzalli, Sara E. Conwell, Christian Berrios, James A. DeCaprio, and David M. Knipe
PNAS. 2013; 110:E4492-E4501.

Neural Stem Cell-Mediated Delivery of Irinotecan-Activating Carboxylesterases to Glioma: Implications for Clinical Use

Marianne Z. Metz, Margarita Gutova, Simon F. Lacey, Yelena Abramyants, Tien Vo, Megan Gilchrist, Revathiswari Tirughana, Lucy Y. Ghoda, Michael E. Barish, Christine E. Brown, Joseph Najbauer, Philip M. Potter, Jana Portnow, Timothy W. Synold, and Karen S. Aboody
Stem Cells Trans Med. 2013; 2:983-992.

SIRPa polymorphisms, but not the prion protein, control phagocytosis of apoptotic cells

Mario Nuvolone, Veronika Kana, Gregor Hutter, Daiji Sakata, Steven M. Mortin-Toth, Giancarlo Russo, Jayne S. Danska, and Adriano Aguzzi
J. Exp. Med. 2013; 210:2539-2552.

Tp12 Kinase Impacts Tumor Growth and Metastasis of Clear Cell Renal Cell Carcinoma

Hye Won Lee, Kyeong Min Joo, Joung Eun Lim, Hyun Jung Cho, Hee Jin Cho, Min Chul Park, Ho Jun Seol, Seong Il Seo, Jung-Il Lee, Sunghoon Kim, Byong Chang Jeong, and Do-Hyun Nam
Mol. Cancer Res. 2013; 11:1375-1386.

Cooperative behavior of the nuclear receptor superfamily and its deregulation in prostate cancer

Mark D. Long, James L. Thorne, James Russell, Sebastiano Battaglia, Prashant K. Singh, Lara E. Sucheston-Campbell, and Moray J. Campbell
Carcinogenesis. 8 November 2013, 10.1093/carcin/bgt334



CIP2A Modulates Cell-Cycle Progression in Human Cancer Cells by Regulating the Stability and Activity of Plk1

Jae-Sung Kim, Eun Ju Kim, Jeong Su Oh, In-Chul Park, and Sang-Gu Hwang
Cancer Res. 2013; 73:6667-6678.

A dileucine motif is involved in plasma membrane expression and endocytosis of rat sodium taurocholate cotransporting polypeptide (Ntcp)

Claudia Stross, Stefanie Kluge, Katrin Weissenberger, Elisabeth Winands, Dieter Häussinger, and Ralf Kubitz
Am J Physiol Gastrointest Liver Physiol. 2013; 305:G722-G730.

The chemokine CX3CL1 promotes trafficking of dendritic cells through inflamed lymphatics

Louise A. Johnson and David G. Jackson
J. Cell Sci. 2013; 126:5259-5270.

α -Catenin interacts with APC to regulate β -catenin proteolysis and transcriptional repression of Wnt target genes

Seung H. Choi, Conchi Estarás, James J. Moresco, John R. Yates, III, and Katherine A. Jones
Genes & Dev. 2013; 27:2473-2488.

LMX1B is Essential for the Maintenance of Differentiated Podocytes in Adult Kidneys

Tillmann Burghardt, Jürgen Kastner, Hani Suleiman, Eric Rivera-Milla, Natalya Stepanova, Claudio Lottaz, Marion Kubitz, Carsten A. Böger, Sarah Schmidt, Mathias Gorski, Uwe de Vries, Helga Schmidt, Irmgard Hertting, Jeffrey Kopp, Anne Rasclé, Markus Moser, Iris M. Heid, Richard Warth, Rainer Spang, Joachim Wegener, Claudia T. Mierke, Christoph Englert, and Ralph Witzgall
J. Am. Soc. Nephrol. 2013; 24:1830-1848.

Thrombomodulin functions as a plasminogen receptor to modulate angiogenesis

Po-Ku Chen, Bi-Ing Chang, Cheng-Hsiang Kuo, Pin-Shern Chen, Chia-Fong Cho, Chuan-Fa Chang, Guey-Yueh Shi, and Hua-Lin Wu
FASEB J. 2013; 27:4520-4531.

QRFP induces aldosterone production via PKC and T-type calcium channel-mediated pathways in human adrenocortical cells: evidence for a novel role of GPR103

Manjunath Ramanjaneya, Emmanouil Karteris, Jing Chen, Marcin Rucinski, Agnieszka Ziolkowska, Naima Ahmed, Sonja Kagerer, Olaf Jöhren, Hendrik Lehnert, Ludwik K. Malendowicz, and Harpal S. Randeva
Am J Physiol Endocrinol Metab. 2013; 305:E1049-E1058.

Inhibition of excessive mitochondrial fission reduced aberrant autophagy and neuronal damage caused by LRRK2 G2019S mutation

Yu-Chin Su and Xin Qi
Hum. Mol. Genet. 2013; 22:4545-4561.

Targeting RNA Foci in iPSC-Derived Motor Neurons from ALS Patients with a C9ORF72 Repeat Expansion

Dhruv Sareen, Jacqueline G. O'Rourke, Pratap Meera, A. K. M. G. Muhammad, Sharday Grant, Megan Simpkinson, Shaughn Bell, Sharon Carmona, Loren Ornelas, Anais Sahabian, Tania Gendron, Leonard Petrucelli, Michael Baughn, John Ravits, Matthew B. Harms, Frank Rigo, C. Frank Bennett, Thomas S. Otis, Clive N. Svendsen, and Robert H. Baloh
Science Translational Medicine. 2013; 5:208ra149.



Modeling Dravet syndrome using induced pluripotent stem cells (iPSCs) and directly converted neurons

Jiao Jiao, Yuanyuan Yang, Yiwu Shi, Jiayu Chen, Rui Gao, Yong Fan, Hui Yao, Weiping Liao, Xiao-Fang Sun, and Shaorong Gao
Hum. Mol. Genet. 2013; 22:4241-4252.

Efficient and Rapid Derivation of Primitive Neural Stem Cells and Generation of Brain Subtype Neurons From Human Pluripotent Stem Cells

Yiping Yan, Soojung Shin, Balendu Shekhar Jha, Qiuyue Liu, Jianting Sheng, Fuhai Li, Ming Zhan, Janine Davis, Kapil Bharti, Xianmin Zeng, Mahendra Rao, Nasir Malik, and Mohan C. Vemuri
Stem Cells Trans Med. 2013; 2:862-870.

No Differences Observed among Multiple Clinical S1P₁ Receptor Agonists (Functional Antagonists) in S1P₁ Receptor Down-regulation and Degradation

Susan Lukas, Lori Patnaude, Sokol Haxhinasto, Anthony Slavin, Melissa Hill-Drzewi, Josh Horan, and Louise Kelly Modis
J Biomol Screen. 3 September 2013, 10.1177/1087057113502234

The Tumor Suppressor p53 Fine-Tunes Reactive Oxygen Species Levels and Neurogenesis via PI3 Kinase Signaling

Kirsi Forsberg, Anja Wuttke, Giorgia Quadrato, Peter M. Chumakov, Andrea Wizenmann, and Simone Di Giovanni
J. Neurosci. 2013; 33:14318-14330.

Later Passages of Neural Progenitor Cells from Neonatal Brain Are More Permissive for Human Cytomegalovirus Infection

Xing Pan, Xiao-Jun Li, Xi-Juan Liu, Hui Yuan, Jia-Fu Li, Ying-Liang Duan, Han-Qing Ye, Ya-Ru Fu, Guan-Hua Qiao, Cong-Cong Wu, Bo Yang, Xiao-Hui Tian, Kang-Hong Hu, Ling-Feng Miao, Xiao-Ling Chen, Jun Zheng, Simon Rayner, Philip H. Schwartz, William J. Britt, Jiang Xu, and Min-Hua Luo
J. Virol. 2013; 87:10968-10979.

Neurotrophic factor expression in expandable cell populations from brain samples in living patients with Parkinson's disease

Hu Xu, Louiza Belkacemi, Mandar Jog, Andrew Parrent, and Matthew O. Hebb
FASEB J. 2013; 27:4157-4168.

BEND6 is a nuclear antagonist of Notch signaling during self-renewal of neural stem cells

Qi Dai, Celia Andreu-Agullo, Ryan Insolera, Li Chin Wong, Song-Hai Shi, and Eric C. Lai
Development. 2013; 140:1892-1902.

Neural Precursor Cells Cultured at Physiologically Relevant Oxygen Tensions Have a Survival Advantage Following Transplantation

Sybil R.L. Stacpoole, Daniel J. Webber, Bilada Bilican, Alastair Compston, Siddharthan Chandran, and Robin J.M. Franklin
Stem Cells Trans Med. 2013; 2:464-472.

Necdin Controls Proliferation and Apoptosis of Embryonic Neural Stem Cells in an Oxygen Tension-Dependent Manner

Zhenyu Huang, Kazuhiro Fujiwara, Ryohei Minamide, Koichi Hasegawa, and Kazuaki Yoshikawa
J. Neurosci. 2013; 33:10362-10373.



Sensory Nerve Terminal Mitochondrial Dysfunction Activates Airway Sensory Nerves via Transient Receptor Potential (TRP) Channels

Lika Nesuashvili, Stephen H. Hadley, Parmvir K. Bahia, and Thomas E. Taylor-Clark
Mol. Pharmacol. 2013; 83:1007-1019.

Directed neural differentiation of induced pluripotent stem cells from non-human primates

Steven L Farnsworth, Zhifang Qiu, Anuja Mishra, and Peter J Hornsby
Exp Biol Med. 2013; 238:276-284.

Nicotine-Induced Structural Plasticity in Mesencephalic Dopaminergic Neurons Is Mediated by Dopamine D3 Receptors and Akt-mTORC1 Signaling

Ginetta Collo, Federica Bono, Laura Cavalleri, Laura Plebani, Stefania Mitola, Emilio Merlo Pich, Mark J. Millan, Michele Zoli, Uwe Maskos, PierFranco Spano, and Cristina Missale
Mol. Pharmacol. 2013; 83:1176-1189.

Nogo-A is a negative regulator of CNS angiogenesis

Thomas Wälchli, Vincent Pernet, Oliver Weinmann, Jau-Ye Shiu, Anna Guzik-Kornacka, Guillaume Decrey, Deniz Yüksel, Hannah Schneider, Johannes Vogel, Donald E. Ingber, Viola Vogel, Karl Frei, and Martin E. Schwab
PNAS. 2013; 110:E1943-E1952.

Neurons and cardiomyocytes derived from induced pluripotent stem cells as a model for mitochondrial defects in Friedreich's ataxia

Aurore Hick, Marie Wattenhofer-Donzé, Satyan Chintawar, Philippe Tropel, Jodie P. Simard, Nadège Vaucamps, David Gall, Laurie Lambot, Cécile André, Laurence Reutenauer, Myriam Rai, Marius Teletin, Nadia Messaddeq, Serge N. Schiffmann, Stéphane Viville, Christopher E. Pearson, Massimo Pandolfo, and Hélène Puccio
Dis. Model. Mech. 2013; 6:608-621.

A novel human embryonic stem cell-derived Huntington's disease neuronal model exhibits mutant huntingtin (mHTT) aggregates and soluble mHTT-dependent neurodegeneration

Boxun Lu and James Palacino
FASEB J. 2013; 27:1820-1829.

IL-4 directly signals tissue-resident macrophages to proliferate beyond homeostatic levels controlled by CSF-1

Stephen J. Jenkins, Dominik Ruckerl, Graham D. Thomas, James P. Hewitson, Sheelagh Duncan, Frank Brombacher, Rick M. Maizels, David A. Hume, and Judith E. Allen
J. Exp. Med. 2013; 210:2477-2491.

SIRPα polymorphisms, but not the prion protein, control phagocytosis of apoptotic cells

Mario Nuvolone, Veronika Kana, Gregor Hutter, Daiji Sakata, Steven M. Martin-Toth, Giancarlo Russo, Jayne S. Danska, and Adriano Aguzzi
J. Exp. Med. 21 October 2013, 10.1084/jem.20131274

Optimization of scarless human stem cell genome editing

Luhan Yang, Marc Guell, Susan Byrne, Joyce L. Yang, Alejandro De Los Angeles, Prashant Mali, John Aach, Caroline Kim-Kiselak, Adrian W Briggs, Xavier Rios, Po-Yi Huang, George Daley, and George Church
Nucleic Acids Res. 2013; 41:9049-9061.



Quantified Colocalization Reveals Heterotypic Histocompatibility Class I Antigen Associations on Trophoblast Cell Membranes: Relevance for Human Pregnancy

Asma Jabeen, José Maria Miranda-Sayago, Boguslaw Obara, Patrick Simon Spencer, Gill Barbara Dealtry, Soren Hayrabyan, Valerie Shaikly, Pierre Philippe Laissue, and Nelson Fernández
Biol Reprod. 2013; 89:94.

Consistency of the Proteome in Primary Human Keratinocytes With Respect to Gender, Age, and Skin Localization

Adrian Sprenger, Sebastian Weber, Mostafa Zarai, Rudolf Engelke, Juliana M. Nascimento, Christine Gretzmeier, Martin Hilpert, Melanie Boerries, Cristina Has, Hauke Busch, Leena Bruckner-Tuderman, and Jörn Dengjel
Mol. Cell. Proteomics. 2013; 12:2509-2521.

Reduced Ciliary Polycystin-2 in Induced Pluripotent Stem Cells from Polycystic Kidney Disease Patients with *PKD1* Mutations

Benjamin S. Freedman, Albert Q. Lam, Jamie L. Sundsbak, Rossella Iatrino, Xuefeng Su, Sarah J. Koon, Maoqing Wu, Laurence Daheron, Peter C. Harris, Jing Zhou, and Joseph V. Bonventre
J. Am. Soc. Nephrol. 5 September 2013, 10.1681/ASN.2012111089.

APO010, A Synthetic Hexameric CD95 Ligand, Induces Death of Human Glioblastoma Stem-like Cells

GÜNTER EISELE, FABIAN WOLPERT, GUILLAUME DECREY, and MICHAEL WELLER
Anticancer Res. 2013; 33:3563-3571.

Inhibition of miR-205 Impairs the Wound-Healing Process in Human Corneal Epithelial Cells by Targeting KIR4.1 (KCNJ10)

Daohong Lin, Adna Halilovic, Peng Yue, Lars Bellner, Kemeng Wang, Lijun Wang, and Chengbiao Zhang
Invest. Ophthalmol. Vis. Sci. 2013; 54:6167-6178.

Screening Drug-Induced Arrhythmia Events Using Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes and Low-Impedance Microelectrode Arrays

Enrique G. Navarrete, Ping Liang, Feng Lan, Verónica Sanchez-Freire, Chelsey Simmons, Tingyu Gong, Arun Sharma, Paul W. Burrige, Bhagat Patlolla, Andrew S. Lee, Haodi Wu, Ramin E. Beygui, Sean M. Wu, Robert C. Robbins, Donald M. Bers, and Joseph C. Wu
Circulation. 2013; 128:S3-S13.

Screening Drug-Induced Arrhythmia Events Using Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes and Low-Impedance Microelectrode Arrays

Enrique G. Navarrete, Ping Liang, Feng Lan, Verónica Sanchez-Freire, Chelsey Simmons, Tingyu Gong, Arun Sharma, Paul W. Burrige, Bhagat Patlolla, Andrew S. Lee, Haodi Wu, Ramin E. Beygui, Sean M. Wu, Robert C. Robbins, Donald M. Bers, and Joseph C. Wu
Circulation. 2013; 128:S3-S13.

Efficient genome engineering in human pluripotent stem cells using Cas9 from *Neisseria meningitidis*

Zhonggang Hou, Yan Zhang, Nicholas E. Propson, Sara E. Howden, Li-Fang Chu, Erik J. Sontheimer, and James A. Thomson
PNAS. 2013; 110:15644-15649.



Quantification of cell surface proteins with bispecific antibodies

C. Panke, D. Weininger, A. Haas, F. Schelter, T. Schlothauer, S. Bader, R. Sircar, H.P. Josel, U. Baer, H. Burtscher, O. Mundigl, M. Grote, U. Brinkmann, and C. Sustmann
Protein Eng. Des. Sel. 2013; 26:645-654.

Isolation of Human Adipose-Derived Stromal Cells Using Laser-Assisted Liposuction and Their Therapeutic Potential in Regenerative Medicine

Michael T. Chung, Andrew S. Zimmermann, Kevin J. Paik, Shane D. Morrison, Jeong S. Hyun, David D. Lo, Adrian McArdle, Daniel T. Montoro, Graham G. Walmsley, Kshemendra Senarath-Yapa, Michael Sorkin, Robert Rennert, Hsin-Han Chen, Andrew S. Chung, Dean Vistnes, Geoffrey C. Gurtner, Michael T. Longaker, and Derrick C. Wan
Stem Cells Trans Med. 2013; 2:808-817.

Reduced Ciliary Polycystin-2 in Induced Pluripotent Stem Cells from Polycystic Kidney Disease Patients with *PKD1* Mutations

Benjamin S. Freedman, Albert Q. Lam, Jamie L. Sundsbak, Rossella Iatrino, Xuefeng Su, Sarah J. Koon, Maoqing Wu, Laurence Daheron, Peter C. Harris, Jing Zhou, and Joseph V. Bonventre
J. Am. Soc. Nephrol. 2013; 24:1571-1586.

Loss-of-Function and Gain-of-Function Mutations of Calcium-Sensing Receptor: Functional Analysis and the Effect of Allosteric Modulators NPS R-568 and NPS 2143

Akie Nakamura, Tomoyuki Hotsubo, Keiji Kobayashi, Hiroshi Mochizuki, Katsura Ishizu, and Toshihiro Tajima
J. Clin. Endocrinol. Metab. 2013; 98:E1692-E1701.

Phosphatidylserine-Targeting Antibody Induces M1 Macrophage Polarization and Promotes Myeloid-Derived Suppressor Cell Differentiation

Yi Yin, Xianming Huang, Kristi D. Lynn, and Philip E. Thorpe
Cancer Immunology. 2013; 1:256-268.

HDAC6 Inhibition Restores Ciliary Expression and Decreases Tumor Growth

Sergio A. Gradilone, Brynn N. Radtke, Pamela S. Bogert, Bing Q. Huang, Gabriella B. Gajdos, and Nicholas F. LaRusso
Cancer Res. 27 March 2013, 10.1158/0008-5472.CAN-12-2938.

Using a preclinical mouse model of high-grade astrocytoma to optimize p53 restoration therapy

Ksenya Shchors, Anders I. Persson, Fanya Rostker, Tarik Tihan, Natalya Lyubynska, Nan Li, Lamorna Brown Swigart, Mitchel S. Berger, Douglas Hanahan, William A. Weiss, and Gerard I. Evan
PNAS. 29 March 2013, 10.1073/pnas.1219142110.

Probing DNA shape and methylation state on a genomic scale with DNase I

Allan Lazarovici, Tianyin Zhou, Anthony Shafer, Ana Carolina Dantas Machado, Todd R. Riley, Richard Sandstrom, Peter J. Sabo, Yan Lu, Remo Rohs, John A. Stamatoyannopoulos, and Harmen J. Bussemaker
PNAS. 1 April 2013, 10.1073/pnas.1216822110.

HDAC6 Inhibition Restores Ciliary Expression and Decreases Tumor Growth

Sergio A. Gradilone, Brynn N. Radtke, Pamela S. Bogert, Bing Q. Huang, Gabriella B. Gajdos, and Nicholas F. LaRusso
Cancer Res. 2013; 73:2259-2270.



The Histone Deacetylase Inhibitor Trichostatin A Promotes Apoptosis and Antitumor Immunity in Glioblastoma Cells

ELISABETH HÖRING, OLIVER PODLECH, BJÖRN SILKENSTEDT, IOANNA ALEXANDROS ROTA, ELENI ADAMOPOULOU, and ULRIKE NAUMANN
Anticancer Res. 2013; 33:1351-1360.

Poly(β -amino ester) Nanoparticle Delivery of *TP53* Has Activity against Small Cell Lung Cancer *In Vitro* and *In Vivo*

Chandrashekhar D. Kamat, Ron B. Shmueli, Nick Connis, Charles M. Rudin, Jordan J. Green, and Christine L. Hann
Mol. Cancer Ther. 2013; 12:405-415.

Overcoming mutation-based resistance to antiandrogens with rational drug design

Minna D Balbas, Michael J Evans, David J Hosfield, John Wongvipat, Vivek K Arora, Philip A Watson, Yu Chen, Geoffrey L Greene, Yang Shen, and Charles L Sawyers
eLife Sci. 2013; 2:e00499.

Rho/ROCK pathway is essential to the expansion, differentiation, and morphological rearrangements of human neural stem/progenitor cells induced by lysophosphatidic acid

Frisca Frisca, Duncan E. Crombie, Mirella Dottori, Yona Goldshmit, and Alice Pébay
J. Lipid Res. 2013; 54:1192-1206.

Characterization of Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Trafficking Reveals a Novel Lysosomal Targeting Mechanism via Amyloid Precursor-like Protein 2 (APLP2)

Rachel M. DeVay, David L. Shelton, and Hong Liang
J. Biol. Chem. 2013; 288:10805-10818.

Genome-wide analysis shows that *Ldb1* controls essential hematopoietic genes/pathways in mouse early development and reveals novel players in hematopoiesis

Athina Mylona, Charlotte Andrieu-Soler, Supat Thongjuea, Andrea Martella, Eric Soler, Ruud Jorna, Jun Hou, Christel Kockx, Wilfred van Ijcken, Boris Lenhard, and Frank Grosveld
Blood. 2013; 121:2902-2913.

Characterization of Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Trafficking Reveals a Novel Lysosomal Targeting Mechanism via Amyloid Precursor-like Protein 2 (APLP2)

Rachel M. DeVay, David L. Shelton, and Hong Liang
J. Biol. Chem. 2013; 288:10805-10818.

Discovery of pluripotency-associated microRNAs in rabbit preimplantation embryos and embryonic stem-like cells

Pouneh Maraghechi, László Hiripi, Gábor Tóth, Babett Bontovics, Zsuzsanna Bosze, and Elen Gócza
Reproduction. 2013; 145:421-437.

Discovery of pluripotency-associated microRNAs in rabbit preimplantation embryos and embryonic stem-like cells

Pouneh Maraghechi, László Hiripi, Gábor Tóth, Babett Bontovics, Zsuzsanna Bosze, and Elen Gócza
Reproduction. 2013; 145:421-437.



Probing DNA shape and methylation state on a genomic scale with DNase I

Allan Lazarovici, Tianyin Zhou, Anthony Shafer, Ana Carolina Dantas Machado, Todd R. Riley, Richard Sandstrom, Peter J. Sabo, Yan Lu, Remo Rohs, John A. Stamatoyannopoulos, and Harmen J. Bussemaker
PNAS. 2013; 110:6376-6381.

Using a preclinical mouse model of high-grade astrocytoma to optimize p53 restoration therapy

Ksenya Shchors, Anders I. Persson, Fanya Rostker, Tarik Tihan, Natalya Lyubynska, Nan Li, Lamorna Brown Swigart, Mitchel S. Berger, Douglas Hanahan, William A. Weiss, and Gerard I. Evan
PNAS. 2013; 110:E1480-E1489.

A Simple and Scalable Process for the Differentiation of Retinal Pigment Epithelium From Human Pluripotent Stem Cells

Julien Maruotti, Karl Wahlin, David Gorrell, Imran Bhutto, Gerard Lutty, and Donald J. Zack
Stem Cells Trans Med. 2013; 2:341-354.

NPV-LDE-225 (Erismodegib) inhibits epithelial mesenchymal transition and self-renewal of glioblastoma initiating cells by regulating miR-21, miR-128, and miR-200

Junsheng Fu, Mariana Rodova, Rajesh Nanta, Daniel Meeker, Peter J. Van Veldhuizen, Rakesh K. Srivastava, and Sharmila Shankar
Neuro Oncology. 2013; 15:691-706.

Novel Methodology to Identify TRPV1 Antagonists Independent of Capsaicin Activation

Stephen Zicha, Olivier Radresa, Patricia Laplante, Michael Morton, Karen Jones, Martin Main, Shephali Trivedi, Ron P. Julien, Andrew Griffin, Jean Labrecque, Sultan Ahmad, and William Brown
J Biomol Screen. 2013; 18:544-555.

Reduced Caveolin-1 Promotes Hyperinflammation due to Abnormal Heme Oxygenase-1 Localization in Lipopolysaccharide-Challenged Macrophages with Dysfunctional Cystic Fibrosis Transmembrane Conductance Regulator

Ping-Xia Zhang, Thomas S. Murray, Valeria R. Vilella, Eleonora Ferrari, Speranza Esposito, Anthony D'Souza, Valeria Raia, Luigi Maiuri, Diane S. Krause, Marie E. Egan, and Emanuela M. Bruscia
J. Immunol. 2013; 190:5196-5206.

Brief demethylation step allows the conversion of adult human skin fibroblasts into insulin-secreting cells

Georgia Pennarossa, Sara Maffei, Marino Campagnol, Letizia Tarantini, Fulvio Gandolfi, and Tiziana A. L. Brevini
PNAS. 21 May 2013, 10.1073/pnas.1220637110.

Distinct Phospholipase C- β Isozymes Mediate Lysophosphatidic Acid Receptor 1 Effects on Intestinal Epithelial Homeostasis and Wound Closure

Sei-Jung Lee, Giovanna Leoni, Philipp-Alexander Neumann, Jerold Chun, Asma Nusrat, and C. Chris Yun
Mol. Cell. Biol. 2013; 33:2016-2028.

Novel HSP90 Inhibitor NVP-HSP990 Targets Cell-Cycle Regulators to Ablate Olig2-Positive Glioma Tumor-Initiating Cells

Jun Fu, Dimpay Koul, Jun Yao, Shuzhen Wang, Ying Yuan, Howard Colman, Erik. P. Sulman, Frederick. F. Lang, and W.K. Alfred Yung
Cancer Res. 2013; 73:3062-3074.



CDH5 is specifically activated in glioblastoma stemlike cells and contributes to vasculogenic mimicry induced by hypoxia

Xing-gang Mao, Xiao-yan Xue, Liang Wang, Xiang Zhang, Ming Yan, Yan-yang Tu, Wei Lin, Xiao-fan Jiang, Hong-gang Ren, Wei Zhang, and Shao-jun Song
Neuro Oncology. 3 May 2013, 10.1093/neuonc/not029.

Drug Screening Using a Library of Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes Reveals Disease-Specific Patterns of Cardiotoxicity

Ping Liang, Feng Lan, Andrew S. Lee, Tingyu Gong, Veronica Sanchez-Freire, Yongming Wang, Sebastian Diecke, Karim Sallam, Joshua W. Knowles, Paul J. Wang, Patricia K. Nguyen, Donald M. Bers, Robert C. Robbins, and Joseph C. Wu
Circulation. 2013; 127:1677-1691.

Brief demethylation step allows the conversion of adult human skin fibroblasts into insulin-secreting cells

Georgia Pennarossa, Sara Maffei, Marino Campagnol, Letizia Tarantini, Fulvio Gandolfi, and Tiziana A. L. Brevini
PNAS. 2013; 110:8948-8953.

Highly Efficient Differentiation of Functional Hepatocytes From Human Induced Pluripotent Stem Cells

Xiaocui Ma, Yuyou Duan, Benjamin Tschudy-Seney, Garrett Roll, Iman Saramipoor Behbahan, Tijess P. Ahuja, Vladimir Tolstikov, Charles Wang, Jeannine McGee, Shiva Khoobyari, Jan A. Nolte, Holger Willenbring, and Mark A. Zern
Stem Cells Trans Med. 2013; 2:409-419.

Rapid Generation of Functional Dopaminergic Neurons From Human Induced Pluripotent Stem Cells Through a Single-Step Procedure Using Cell Lineage Transcription Factors

Ilda Theka, Massimiliano Caiazzo, Elena Dvoretzkova, Damiana Leo, Federica Ungaro, Sebastiano Curreli, Francesca Managò, Maria Teresa Dell'Anno, Gianni Pezzoli, Raul R. Gainetdinov, Alexander Dityatev, and Vania Broccoli
Stem Cells Trans Med. 2013; 2:473-479.

A de novo X;8 translocation creates a PTK2-THOC2 gene fusion with THOC2 expression knockdown in a patient with psychomotor retardation and congenital cerebellar hypoplasia

Eleonora Di Gregorio, Federico T Bianchi, Alfonso Schiavi, Alessandra M A Chiotto, Marco Rolando, Ludovica Verdun di Cantogno, Enrico Grosso, Simona Cavalieri, Alessandro Calcia, Daniela Lacerenza, Orsetta Zuffardi, Saverio Francesco Retta, Giovanni Stevanin, Cecilia Marelli, Alexandra Durr, Sylvie Forlani, Jamel Chelly, Francesca Montarolo, Filippo Tempia, Hilary E Beggs, Robin Reed, Stefania Squadrone, Maria C Abete, Alessandro Brussino, Natascia Ventura, Ferdinando Di Cunto, and Alfredo Brusco
J. Med. Genet. 7 June 2013, 10.1136/jmedgenet-2013-101542.

HLA Class I Antibodies Trigger Increased Adherence of Monocytes to Endothelial Cells by Eliciting an Increase in Endothelial P-Selectin and, Depending on Subclass, by Engaging FcγRs

Nicole M. Valenzuela, Arend Mulder, and Elaine F. Reed
J. Immunol. 2013; 190:6635-6650.



A de novo X;8 translocation creates a *PTK2-THOC2* gene fusion with *THOC2* expression knockdown in a patient with psychomotor retardation and congenital cerebellar hypoplasia

Eleonora Di Gregorio, Federico T Bianchi, Alfonso Schiavi, Alessandra M A Chiotto, Marco Rolando, Ludovica Verdun di Cantogno, Enrico Grosso, Simona Cavalieri, Alessandro Calcia, Daniela Lacerenza, Orsetta Zuffardi, Saverio Francesco Retta, Giovanni Stevanin, Cecilia Marelli, Alexandra Durr, Sylvie Forlani, Jamel Chelly, Francesca Montarolo, Filippo Tempia, Hilary E Beggs, Robin Reed, Stefania Squadrone, Maria C Abete, Alessandro Brussino, Natascia Ventura, Ferdinando Di Cunto, and Alfredo Brusco

J. Med. Genet. 7 June 2013, 10.1136/jmedgenet-2013-101542.

Combining Hedgehog Signaling Inhibition with Focal Irradiation on Reduction of Pancreatic Cancer Metastasis

Dongsheng Gu, Hailan Liu, Gloria H. Su, Xiaoli Zhang, Helen Chin-Sinex, Helmut Hanenberg, Marc S. Mendonca, Harlan E. Shannon, E. Gabriela Chiorean, and Jingwu Xie

Mol. Cancer Ther. 2013; 12:1038-1048.

Genetic reconstitution of tumorigenesis in primary intestinal cells

Kunishige Onuma, Masako Ochiai, Kaoru Orihashi, Mami Takahashi, Toshio Imai, Hitoshi Nakagama, and Yoshitaka Hippo

PNAS. 17 June 2013, 10.1073/pnas.1221926110

Fibroblast Growth Factor Receptor Like-1 (FGFRL1) Interacts with SHP-1 Phosphatase at Insulin Secretory Granules and Induces Beta-cell ERK1/2 Protein Activation

Pamuditha N. Silva, Svetlana M. Altamentova, Dawn M. Kilkenny, and Jonathan V. Rocheleau

J. Biol. Chem. 2013; 288:17859-17870.

Multifaceted oncolytic virus therapy for glioblastoma in an immunocompetent cancer stem cell model

Tooba A. Cheema, Hiroaki Wakimoto, Peter E. Fecci, Jianfang Ning, Toshihiko Kuroda, Deva S. Jeyaretna, Robert L. Martuza, and Samuel D. Rabkin

PNAS. 10 June 2013, 10.1073/pnas.1307935110.

CDH5 is specifically activated in glioblastoma stemlike cells and contributes to vasculogenic mimicry induced by hypoxia

Xing-gang Mao, Xiao-yan Xue, Liang Wang, Xiang Zhang, Ming Yan, Yan-yang Tu, Wei Lin, Xiao-fan Jiang, Hong-gang Ren, Wei Zhang, and Shao-jun Song

Neuro Oncology. 2013; 15:865-879.

Smad2 Is Essential for Maintenance of the Human and Mouse Primed Pluripotent Stem Cell State

Masayo Sakaki-Yumoto, Jianming Liu, Miguel Ramalho-Santos, Nobuaki Yoshida, and Rik Derynck

J. Biol. Chem. 2013; 288:18546-18560.

A Method for Measurement of Drug Sensitivity of Myeloma Cells Co-Cultured with Bone Marrow Stromal Cells

Kristine Misund, Katarzyna A. Baranowska, Toril Holien, Christoph Rampa, Dionne C. G. Klein, Magne Børset, Anders Waage, and Anders Sundan

J Biomol Screen. 2013; 18:637-646.



Modeling Dravet syndrome using induced pluripotent stem cells (iPSCs) and directly converted neurons

Jiao Jiao, Yuanyuan Yang, Yiwu Shi, Jiayu Chen, Rui Gao, Yong Fan, Hui Yao, Weiping Liao, Xiao-Fang Sun, and Shaorong Gao
Hum. Mol. Genet. 27 June 2013, 10.1093/hmg/ddt275

Prion Replication Elicits Cytopathic Changes in Differentiated Neurosphere Cultures

Yoshifumi Iwamaru, Takato Takenouchi, Morikazu Imamura, Yoshihisa Shimizu, Kohtaro Miyazawa, Shirou Mohri, Takashi Yokoyama, and Hiroshi Kitani
J. Virol. 2013; 87:8745-8755.

Role of the Phosphatidylserine Receptor TIM-1 in Enveloped-Virus Entry

Sven Moller-Tank, Andrew S. Kondratowicz, Robert A. Davey, Paul D. Rennert, and Wendy Maury
J. Virol. 2013; 87:8327-8341.

Different Requirements for Scavenger Receptor Class B Type I in Hepatitis C Virus Cell-Free versus Cell-to-Cell Transmission

Maria Teresa Catanese, Joana Loureiro, Christopher T. Jones, Marcus Dorner, Thomas von Hahn, and Charles M. Rice
J. Virol. 2013; 87:8282-8293.

Functional genomic screen of human stem cell differentiation reveals pathways involved in neurodevelopment and neurodegeneration

Ying Zhang, Vincent P. Schulz, Brian D. Reed, Zheng Wang, Xinghua Pan, Jessica Mariani, Ghia Euskirchen, Michael P. Snyder, Flora M. Vaccarino, Natalia Ivanova, Sherman M. Weissman, and Anna M. Szekely
PNAS. 8 July 2013, 10.1073/pnas.1309725110.

Genetic reconstitution of tumorigenesis in primary intestinal cells

Kunishige Onuma, Masako Ochiai, Kaoru Orihashi, Mami Takahashi, Toshio Imai, Hitoshi Nakagama, and Yoshitaka Hippo
PNAS. 2013; 110:11127-11132.

Human Anti-Macrophage Migration Inhibitory Factor Antibodies Inhibit Growth of Human Prostate Cancer Cells *In Vitro* and *In Vivo*

Filza Hussain, Michael Freissmuth, Dirk Völkel, Michael Thiele, Patrice Douillard, Gerhard Antoine, Patrick Thurner, Hartmut Ehrlich, Hans-Peter Schwarz, Friedrich Scheiflinger, and Randolph J. Kerschbaumer
Mol. Cancer Ther. 2013; 12:1223-1234.

Efficient delivery of RNA interference oligonucleotides to polarized airway epithelia in vitro

Shyam Ramachandran, Sateesh Krishnamurthy, Ashley M. Jacobi, Christine Wohlford-Lenane, Mark A. Behlke, Beverly L. Davidson, and Paul B. McCray, Jr.
Am J Physiol Lung Cell Mol Physiol. 2013; 305:L23-L32.

Structural and Pharmacological Characterization of Novel Potent and Selective Monoclonal Antibody Antagonists of Glucose-dependent Insulinotropic Polypeptide Receptor

Peter Ravn, Chaithanya Madhurantakam, Susan Kunze, Evelyn Matthews, Claire Priest, Siobhan O'Brien, Andie Collinson, Monika Papworth, Maria Fritsch-Fredin, Lutz Jermutus, Lambertus Benthem, Markus Gruetter, and Ronald H. Jackson
J. Biol. Chem. 2013; 288:19760-19772.



Inhibition of excessive mitochondrial fission reduced aberrant autophagy and neuronal damage caused by LRRK2 G2019S mutation

Yu-Chin Su and Xin Qi

Hum. Mol. Genet. 5 July 2013, 10.1093/hmg/ddt301.

A de novo X;8 translocation creates a PTK2-THOC2 gene fusion with THOC2 expression knockdown in a patient with psychomotor retardation and congenital cerebellar hypoplasia

Eleonora Di Gregorio, Federico T Bianchi, Alfonso Schiavi, Alessandra M A Chiotto, Marco Rolando, Ludovica Verdun di Cantogno, Enrico Grosso, Simona Cavalieri, Alessandro Calcia, Daniela Lacerenza, Orsetta Zuffardi, Saverio Francesco Retta, Giovanni Stevanin, Cecilia Marelli, Alexandra Durr, Sylvie Forlani, Jamel Chelly, Francesca Montarolo, Filippo Tempia, Hilary E Beggs, Robin Reed, Stefania Squadrone, Maria C Abete, Alessandro Brussino, Natascia Ventura, Ferdinando Di Cunto, and Alfredo Brusco

J. Med. Genet. 2013; 50:543-551.

Multifaceted oncolytic virus therapy for glioblastoma in an immunocompetent cancer stem cell model

Tooba A. Cheema, Hiroaki Wakimoto, Peter E. Fecci, Jianfang Ning, Toshihiko Kuroda, Deva S. Jeyaretna, Robert L. Martuza, and Samuel D. Rabkin

PNAS. 2013; 110:12006-12011.

The Amyloid Precursor Protein (APP) Triplicated Gene Impairs Neuronal Precursor Differentiation and Neurite Development through Two Different Domains in the Ts65Dn Mouse Model for Down Syndrome

Stefania Trazzi, Claudia Fuchs, Emanuele Valli, Giovanni Perini, Renata Bartesaghi, and Elisabetta Ciani

J. Biol. Chem. 2013; 288:20817-20829.

Functional genomic screen of human stem cell differentiation reveals pathways involved in neurodevelopment and neurodegeneration

Ying Zhang, Vincent P. Schulz, Brian D. Reed, Zheng Wang, Xinghua Pan, Jessica Mariani, Ghia Euskirchen, Michael P. Snyder, Flora M. Vaccarino, Natalia Ivanova, Sherman M. Weissman, and Anna M. Szekely

PNAS. 2013; 110:12361-12366.

Receptor-type Protein-tyrosine Phosphatase ζ Is a Functional Receptor for Interleukin-34

Sayan Nandi, Mario Cioce, Yee-Guide Yeung, Edward Nieves, Lydia Tesfa, Haishan Lin, Amy W. Hsu, Robert Halenbeck, Hui-Yong Cheng, Solen Gokhan, Mark F. Mehler, and E. Richard Stanley

J. Biol. Chem. 2013; 288:21972-21986.

Blood Cell-Derived Induced Pluripotent Stem Cells Free of Reprogramming Factors Generated by Sendai Viral Vectors

Lin Ye, Marcus O. Muench, Noemi Fusaki, Ashley I. Beyer, Jiaming Wang, Zhongxia Qi, Jingwei Yu, and Yuet Wai Kan

Stem Cells Trans Med. 2013; 2:558-566.

Optimization of scarless human stem cell genome editing

Luhan Yang, Marc Guell, Susan Byrne, Joyce L. Yang, Alejandro De Los Angeles, Prashant Mali, John Aach, Caroline Kim-Kiselak, Adrian W Briggs, Xavier Rios, Po-Yi Huang, George Daley, and George Church

Nucleic Acids Res. 31 July 2013, 10.1093/nar/gkt555.



SOX2-LIN28/let-7 pathway regulates proliferation and neurogenesis in neural precursors

Flavio Cimadamore, Alejandro Amador-Arjona, Connie Chen, Chun-Teng Huang, and Alexey V. Tersikh
PNAS. 2013; 110:E3017-E3026.

Monovalent antibody design and mechanism of action of onartuzumab, a MET antagonist with anti-tumor activity as a therapeutic agent

Mark Merchant, Xiaolei Ma, Henry R. Maun, Zhong Zheng, Jing Peng, Mally Romero, Arthur Huang, Naiying Yang, Merry Nishimura, Joan Greve, Lydia Santell, Yu-Wen Zhang, Yanli Su, Dafna W. Kaufman, Karen L. Billeci, Elaine Mai, Barbara Moffat, Amy Lim, Eileen T. Duenas, Heidi S. Phillips, Hong Xiang, Judy C. Young, George F. Vande Woude, Mark S. Dennis, Dorothea E. Reilly, Ralph H. Schwall, Melissa A. Starovasnik, Robert A. Lazarus, and Daniel G. Yansura
PNAS. 2013; 110:E2987-E2996.

Inhibition of Parathyroid Hormone Secretion by Caffeine in Human Parathyroid Cells

Ming Lu, Lars-Ove Farnebo, Robert Bränström, and Catharina Larsson
J. Clin. Endocrinol. Metab. 2013; 98:E1345-E1351.

Loss of Epithelial Hypoxia-Inducible Factor Prolyl Hydroxylase 2 Accelerates Skin Wound Healing in Mice

Joanna Kalucka, Andreas Ettinger, Kristin Franke, Soufafa Mamlouk, Rashim Pal Singh, Katja Farhat, Antje Muschter, Susanne Olbrich, Georg Breier, Dörthe M. Katschinski, Wieland Huttner, Alexander Weidemann, and Ben Wielockx
Mol. Cell. Biol. 2013; 33:3426-3438.

14-3-3 Proteins Modulate the ETS Transcription Factor ETV1 in Prostate Cancer

Sangphil Oh, Sook Shin, Stan A. Lightfoot, and Ralf Janknecht
Cancer Res. 2013; 73:5110-5119.

RHPN2 Drives Mesenchymal Transformation in Malignant Glioma by Triggering RhoA Activation

Carla Danussi, Uri David Akavia, Francesco Niola, Andreja Jovic, Anna Lasorella, Dana Pe'er, and Antonio Iavarone
Cancer Res. 2013; 73:5140-5150.

Transforming TRP Channel Drug Discovery Using Medium-Throughput Electrophysiological Assays

Jean-Marie Chambard, Eric Tagat, Philippe Boudeau, and Michel Partiseti
J Biomol Screen. 16 August 2013, 10.1177/1087057113499632.

Quantification of cell surface proteins with bispecific antibodies

C. Panke, D. Weininger, A. Haas, F. Schelter, T. Schlothauer, S. Bader, R. Sircar, H.P. Josel, U. Baer, H. Burtscher, O. Mundigl, M. Grote, U. Brinkmann, and C. Sustmann
Protein Eng. Des. Sel. 19 August 2013, 10.1093/protein/gzt035.

Epigenomic enhancer annotation reveals a key role for NFIX in neural stem cell quiescence

Ben Martynoga, Juan L. Mateo, Bo Zhou, Jimena Andersen, Angeliki Achimastou, Noelia Urbán, Debbie van den Berg, Dimitra Georgopoulou, Suzana Hadjur, Joachim Wittbrodt, Laurence Ettwiller, Michael Piper, Richard M. Gronostajski, and François Guillemot
Genes & Dev. 2013; 27:1769-1786.



Species-specific PAMP recognition by TLR2 and evidence for species-restricted interaction with Dectin-1

Sam Willcocks, Victoria Offord, Hans-Martin Seyfert, Tracey J. Coffey, and Dirk Werling
J. Leukoc. Biol. 2013; 94:449-458.

Matched miRNA and mRNA signatures from an hESC-based *in vitro* model of pancreatic differentiation reveal novel regulatory interactions

Xiaoyan Liao, Haipeng Xue, Yu-Chieh Wang, Kristopher L. Nazor, Shuren Guo, Neha Trivedi, Suzanne E. Peterson, Ying Liu, Jeanne F. Loring, and Louise C. Laurent
J. Cell Sci. 2013; 126:3848-3861.

LMX1B is Essential for the Maintenance of Differentiated Podocytes in Adult Kidneys

Tillmann Burghardt, Jürgen Kastner, Hani Suleiman, Eric Rivera-Milla, Natalya Stepanova, Claudio Lottaz, Marion Kubitzka, Carsten A. Böger, Sarah Schmidt, Mathias Gorski, Uwe de Vries, Helga Schmidt, Irmgard Hertting, Jeffrey Kopp, Anne Rasclé, Markus Moser, Iris M. Heid, Richard Warth, Rainer Spang, Joachim Wegener, Claudia T. Mierke, Christoph Englert, and Ralph Witzgall
J. Am. Soc. Nephrol. 29 August 2013, 10.1681/ASN.2012080788.

Determining the Relative Efficacy of Positive Allosteric Modulators of the GABA_A Receptor: Design of a Screening Approach

Philippe Ghisdal, Nadine Noel, Nathalie Pacico, Murielle Martini, Patrik Foerch, Etienne Hanon, and Christian Wolff
J Biomol Screen. 29 August 2013, 10.1177/1087057113501555.

Matched miRNA and mRNA signatures from an hESC-based *in vitro* model of pancreatic differentiation reveal novel regulatory interactions

Xiaoyan Liao, Haipeng Xue, Yu-Chieh Wang, Kristopher L. Nazor, Shuren Guo, Neha Trivedi, Suzanne E. Peterson, Ying Liu, Jeanne F. Loring, and Louise C. Laurent
J. Cell Sci. 2013; 126:3848-3861.

The viability of cells obtained using the Reamer–Irrigator–Aspirator system and in bone graft from the iliac crest

H. S. Uppal, B. E. Peterson, M. L. Misfeldt, G. J. Della Rocca, D. A. Volgas, Y. M. Murtha, J. P. Stannard, T. J. Choma, and B. D. Crist
Bone Joint J. 2013; 95-B:1269-1274.

Antiproliferative, Antiinvasive, and Proapoptotic Activity of Folate Receptor α -Targeted Liposomal Doxorubicin in Nonfunctional Pituitary Adenoma Cells, Xiaohai Liu, Sihai Ma, Congxin Dai, Feng Cai, Yong Yao, Yakun Yang, Ming Feng, Kan Deng, Guiling Li, Wenbing Ma, Bing Xin, Wei Lian, Guangya Xiang, Bo Zhang, and Renzhi Wang, *Endocrinology*, Apr 2013; 154: 1414 - 1423.

Ketamine Enhances Human Neural Stem Cell Proliferation and Induces Neuronal Apoptosis via Reactive Oxygen Species–Mediated Mitochondrial Pathway, Xiaowen Bai, Yasheng Yan, Scott Canfield, Maria Y. Muravyeva, Chika Kikuchi, Ivan Zaja, John A. Corbett, and Zeljko J. Bosnjak, *Anesth. Analg.*, Apr 2013; 116: 869 - 880.

Astrocyte pathology and the absence of non-cell autonomy in an induced pluripotent stem cell model of TDP-43 proteinopathy, Andrea Serio, Bilada Bilican, Sami J. Barmada, Dale Michael Ando, Chen Zhao, Rick Siller, Karen Burr, Ghazal Haghi, David Story, Agnes Lumi Nishimura, Monica A. Carrasco, Hemali P. Phatnani, Carole Shum, Ian Wilmot, Tom Maniatis, Christopher E. Shaw, Steven Finkbeiner, and Siddharthan Chandran, *PNAS*, Mar 2013; 110: 4697 - 4702.



Innate Immune Defense Defines Susceptibility of Sarcoma Cells to Measles Vaccine Virus-Based Oncolysis, Susanne Berchtold, Johanna Lampe, Timo Weiland, Irina Smirnow, Sabine Schleicher, Rupert Handgretinger, Hans-Georg Kopp, Jeanette Reiser, Frank Stubenrauch, Nora Mayer, Nisar P. Malek, Michael Bitzer, and Ulrich M. Lauer, *J. Virol.*, Mar 2013; 87: 3484 - 3501.

Widespread resetting of DNA methylation in glioblastoma-initiating cells suppresses malignant cellular behavior in a lineage-dependent manner, Stefan H. Stricker, Andrew Feber, Pär G. Engström, Helena Carén, Kathreena M. Kurian, Yasuhiro Takashima, Colin Watts, Michael Way, Peter Dirks, Paul Bertone, Austin Smith, Stephan Beck, and Steven M. Pollard *Genes & Dev.*, Mar 2013; 27: 654 - 669.

Efficient Propagation of Single Cells Accutase-Dissociated human Embryonic Stem Cells, Bajpai, et al, *Journal of Molecular Reproduction and Development*, DOI 10.1002/mrd:1-10, 2007.

Large intergenic non-coding RNA-RoR modulates reprogramming of human induced pluripotent stem cells, S.L., M. N. Cabili, M. Guttman, Y.Loh, K. Thomas, I. H. Park, M. Garber, M. Curran, T. Onder, S. Agarwal, P. D. Manos, S. Datta, E. S. Lander, T. M. Schlaeger, G. Q. Daley, & J. L. Rinn, *Nature Genetics*, Volume: 42, Pages: 1113-1117, Year : (2010).

Stimulating progress in regenerative medicine: improving the cloning and recovery of cryopreserved human pluripotent stem cells with ROCK inhibitors, A. Rizzino, *Regenerative Medicine*, September 2010, Vol. 5, No. 5, Pages 799-807, DOI 10.2217/rme.10.45 (doi:10.2217/rme.10.45).

Characterization of Human Huntington's Disease Cell Model from Induced Pluripotent Stem Cells, N. Zhang, M. C. An, D. Montoro, and L. M. Ellerby, *PLoS Curr.* 2010 October 28; 2: RRN1193. doi: 10.1371/currents.RRN1193.

Telomere elongation in induced pluripotent stem cells from dyskeratosis congenital patients, S. Agarwal, Y. Loh, E. M. McLoughlin, J. Huang, I. Park, J. D. Miller, H. Huo, M. Okuka, R. Maria dos Reis, S. Loewer, H. Ng, D. L. Keefe, F. D. Goldman, A. J. Klingelutz, L. Liu, and G. Q. Daley, *Nature*. Author manuscript; available in PMC 2011 March 16.: *Nature*. 2010 March 11; 464(7286): 292-296. 2010 February 17. doi: 10.1038/nature08792.

Methods for culture and production of single cell populations of human embryonic stem cells, A. Terskikh, R. Bajpai, *Sanford-Burnham Medical Research Institute*, 06/21/2011.

Human neural stem cells enhance structural plasticity and axonal transport in the ischemic brain, R. H. Andres, N. Horie, W. Slikker, H. Keren-Gill, K. Zhan, G. Sun, N. C. Manley, M. P. Pereira, L. A. Sheikh, E. L. McMillan, B. T. Schaar, C. N. Svendsen, T. M. Bliss, and G. K. Steinberg, *Brain* (2011) 134 (6): 1777-1789. doi: 10.1093/brain/awr094.

Mitochondrial Parkin Recruitment Is Impaired in Neurons Derived from Mutant PINK1 Induced Pluripotent Stem Cells, P. Seibler, J. Graziotto, H. Jeong, F. Simunovic, C. Klein, and D. Krainc, *The Journal of Neuroscience*, 20 April 2011, 31(16): 5970-5976; doi: 10.1523/JNEUROSCI.4441-10.2011.

Generation of induced pluripotent stem cells from newborn marmoset skin fibroblasts, Y. Wua, Y. Zhanga, A. Mishrab, S. D. Tardifb, and P. J. Hornsby, *Stem Cell Research*, 4 (3), pp. 180-188.

Prospective Isolation of Cortical Interneuron Precursors from Mouse Embryonic Stem Cells, A. M. Maroof, K. Brown, S. Shi, L. Studer, and S. A. Anderson, *The Journal of Neuroscience*, 31 March 2010, 30(13): 4667-4675; doi: 10.1523/JNEUROSCI.4255-09.2010.



Over expression of BCL2 enhances survival of human embryonic stem cells during stress and obviates the requirement for serum factors, R. Ardehali, M. A. Inlay, S. R. Ali, C. Tang, M. Drukker, and I. L. Weissman, PNAS, February 22, 2011 vol. 108 no. 8 3282-3287.

Single cell transcriptional profiling reveals heterogeneity of human induced pluripotent stem cells, K. H. Narsinh, N. Sun, V. Sanchez-Freire, A. S. Lee, P. Almeida, S. Hu, T. Jan, K. D. Wilson, D. Leong, J. Rosenberg, M. Yao, R. C. Robbins, and J. C. Wu, J Clin Invest. 2011 March 1; 121(3): 1217-1221. 2011 February 7. doi: 0.1172/JCI44635.

Generation of Functional Neutrophils from a Mouse Model of X-Linked Chronic Granulomatous Disorder Using Induced Pluripotent Stem Cells, M. S, Santilli G, Blundell MP, N. S, Bueren JA, et al. 201. PLoS ONE 6(3): e17565. doi:10.1371/journal.pone.0017565.

Human embryonic fibroblasts support single cell enzymatic expansion of human embryonic stem cells in xeno-free cultures, M. Kibschulla, M. Mileikovskya, I. P. Michaela, S. J. Lyea, and A. Nagya, Stem Cell Research, Volume 6, Issue 1, January 2011, Pages 70-82.

The ROCK Inhibitor Y-27632 Improves Recovery of Human Embryonic Stem Cells after Fluorescence-Activated Cell Sorting with Multiple Cell Surface Markers, N. Emre, J. G. Vidal, J. Elia, E. D. O'Connor, R. I. Paramban, M. P. Hefferan, R. Navarro, D. S. Goldberg, N. M. Varki, M. Marsala, C. T. Carson, PLoS ONE 5(8): e12148. doi:10.1371/journal.pone.0012148.

Culture of human pluripotent stem cells using completely defined conditions on a recombinant E-cadherin substratum, M. Nagaoka, K. Si-Tayeb, T. Akaike, and S. A. Duncan, BMC Developmental Biology 2010, 10:60doi:10.1186/1471-213X-10-60.

Differentiation of Human Embryonic Stem Cells into Germ Cell and Culture Condition for Single Embryonic Stem Cells Dissociated by Enzyme, HJ Chi, SY Choi, DY Chung. Korean J Reprod Med 37(1):13-23 Mar 2010. Korean.

Hematopoietic differentiation of induced pluripotent stem cells from patients with mucopolysaccharidosis type I (Hurler syndrome), J. Tolar, I. Park, L. Xia, C. J. Lees, B. Peacock, B. Webber, R. T. McElmurry, C. R. Eide, P. J. Orchard, M. Kyba, M. J. Osborn, T. C. Lund, J. E. Wagner, G. Q. Daley, and B. R. Blazar, Blood January 20, 2011 vol. 117 no. 3 839-847.

Directed differentiation of human pluripotent stem cells into intestinal tissue in vitro, J. R. Spence, C. N. Mayhew, S. A. Rankin, M. F. Kuhar, J. E. Vallance, K. Tolle, E. E. Hoskins, V. V. Kalinichenko, S. I. Wells, A. M. Zorn, N. F. Shroyer, & J. M. Wells, Nature Volume: 470, Pages: 105-109 (03 February 2011) DOI:i:10.1038/nature09691 Received22 April 2010Accepted23 November 2010 Published online12 December 2010.

In situ cryopreservation of human embryonic stem cells in gas-permeable membrane culture cassettes for high post-thaw yield and good manufacturing practice, K.J. Amps, M. Jones, D. Baker, and H.D. Moore, Cryobiology, Volume 60, Issue 3, June 2010, Pages 344-350.

Dopaminergic Neuronal Differentiation Protocol for Human Mesenchymal Stem Cells, K. A. Trzaska and P. Rameshwar, Mesenchymal Stem Cell Assays and Applications Methods in Molecular Biology, 2011, Volume 698, Part 3, 295-303, DOI: 10.1007/978-1-60761-999-4_22.

Human Embryonic Stem Cell-derived Dopaminergic Neurons Reverse Functional Deficit in Parkinsonian Rats, Yang, et al, Stem Cells,0: 2007-0494v1, 2007.



Efficient gene delivery and Silencing of mouse and human pancreatic islets, Lefebvre et al, BMC Biotechnology, 10:28, 2010.

Neural progenitors derived from human embryonic stem cells are targeted by allogeneic T and natural killer cells, Preynat-Seauve, et al, Journal of Cellular and Molecular Medicine, Vol. 13:9b, pp 3556-3569, March 2009.

In vitro cultivation and cryopreservation of duck embryonic hepatocytes, Journal of Virological Methods, Volume 157, Issue 1, pp 25-31, 2009.

Highly Efficient Differentiation and Enrichment of Spinal Motor Neurons Derived from Human and Monkey Embryonic Stem Cells, Tamaki Wada, et al, PLoS One, 4(8); e6722, 2009.

Human oligodendrocytes from embryonic stem cells: conserved SHH signaling networks and divergent FGF effects, Bao-Yang Hu et al Development 136, pp1443-1452, , 2009.

Restricted Spontaneous In Vitro Differentiation and Region-Specific Migration of Long-Term Expanded Fetal Human Neural Precursor Cells After Transplantation Into the Adult Rat Brain, Maciaczyk et al, Stem Cells and Development, Vol.18(7): 1043-1058, 2009.

Neural conversion of human embryonic stem cell colonies in the presence of fibroblast growth factor-2, Benzing, et al, NeuroReport, Vol 17, Issue 16, November 2006.

Human ES cell-derived neural rosettes reveal a functionally distinct early neural stem cell stage, Elkabetz, et al., Genes & Development, 22: 152-165, 2008,.

ROCK inhibitor improves survival of cryopreserved serum/feeder-free single human embryonic stem cells, Li, et al. Human Reproduction, Mar, 01; 24(3):580-9 2009. "Accutase significantly increases the survival of single hES cells after thawing."

Creation of Engineered Human Embryonic Stem Cell Lines Using phiC31 Integrase, Thyagarajan, et al, Stem Cells, Vol. 26 Issue 1, 119-126, 2007.

A Scalable and Defined System for Generating Neural Stem Cells from Human Embryonic Stem Cells, Joannides, et al, Stem Cells, Volume 25, Issue 3, 731-737, 2006.

Canine hemangiosarcoma originates from hematopoietic precursors with potential for endothelial differentiation, Lamerota-Kozicki et al., Experimental Hematology, Vol. 34 Pages 870-878, April 2006.

The JAK3 inhibitor WHI-P154 prevents PDGF-evoked process outgrowth in human neural precursor cells, Richards et al., Journal of Neurochemistry, Vol. 97 Page 201, April 2006.

High Efficacy of Clonal Growth and Expansion of Adult Neural Stem Cells, Frank-Peter Wachs et al, Lab Investigation, 83:949-962, 2003.

Derivation of pluripotent epiblast stem cells from mammalian embryos, Gabrielle M. Brons et al, Nature, 448, 191-195 (12 July 2007).

Somatic Stem Cell Marker Prominin-1/CD133 Is Expressed in Embryonic Stem Cell-Derived Progenitors, Gabriela Kania, Stem Cells, Vol. 23 NO: 6, Pages: 791-804, 2005



Nuclear factor-KB controls the reaggregation of 3D neurosphere cultures *in vitro*, Widera *et al.*, European Cells and Materials, Vol. 11, Pages 76-85, 2006.

Autologous adult rodent neural progenitor cell transplantation represents a feasible strategy to promote structural repair in the chronically injured spinal cord, Pfeifer, Future Medicine, Pages 255-266, July 2006.

Neural Conversion of Human Embryonic Stem Cell Colonies in the Presence of Fibroblast Grown Factor-2, Benzing *et al.*, Developmental Neuroscience, Vol. 17, No. 16, Pages 1675-1678, November 2006.

Lack of response to epidermal growth factor in adult neural progenitor cells, Kalluri *et al.*, Molecular Neuroscience, Vol. 16, Pages 835-838, May 2005.

Behavioral Changes in Unilaterally 6-Hydroxy-Dopamine Lesioned Rats After Transplantation of Differentiated Mouse Embryonic Stem Cells Without Morphological Integration, Stem Cells, Vol. 22 Pages 396-404, 2004.

High efficacy of clonal growth and expansion of adult neural stem cells, Lab Investigation, Vol. 83(7):949-962, . July 2003. "In addition, increased cell survival was obtained when Accutase, instead of trypsin, was used for enzymatic dissociation of NSC cultures."

Oxygen Reduce Accumulation of type IV Collagen in endothelial Cell Subcellular Matrix via Oxidative Stress, T. Brevig. et al, Artificial Organs, Volume 30 Issue 12, Pages 915-921, December 2006.

Circulating fibroblasts, Philips, Journal of Clinical Investigation, Vol. 114, Pages 438-446, August 2004.

Adult neural progenitor cell grafts survive after acute spinal cord injury and integrate along axonal pathways, European Journal of Neuroscience, Vol, 18 Issue 4, Page 743, August 2003.

Inhibition of death-receptor mediated apoptosis in human adipocytes by the IGF-1/IGF-1R autocrine circuit, Endocrinology. December 22, 2003.

Binding of gastrointestinal tumor cells to endothelial E- and P-selectin adhesion receptors leads to transient down-regulation of sLeX ligands *in vitro*, International Journal of Colorectal Disease, Volume 18, Number 4, Pages: 292 – 299, July 2003.

A microcarrier cell culture process for propagating rabies virus in Vero cells grown in a stirred bioreactor under fully animal component free conditions. Rourou, *et al*, Vaccine, 10; 25(19):3879-89, 2007.

A cell-detachment solution can reduce background staining in the ELISPOT assay, Grant A, et al., Methods of Molecular Biology, 302:87-94, 2005.

Oxygen Reduces Accumulation of Type IV Collagen in Endothelial Cell Subcellular Matrix via Oxidative Stress, T. Brevig, et al, Artificial Organs, Volume 30 Issue 12 Page 915-921, December 2006.

Integrin Signalling Regulates the Nuclear Localization and Function of the Lysophosphatidic Acid Receptor-1 (LPA₁) In Mammalian Cells, Waters *et al.* Biochemical Journal Immediate Publication, May 2006.



Minute numbers of contaminant CD8⁺ T cells or CD11b⁺CD11c⁺ NK cells are the source of IFN- γ in IL-12/IL-18-stimulated mouse macrophage populations, Schleicher *et al.*, Blood Vol. 105, Pages 1319-1328, February 2005.

Cell Permeable Peptide of JNK Inhibitor Prevents Islet Apoptosis Immediately After Isolation and Improves Islet Graft Function, Noguchi *et al.*, American Journal of Transplantation, Vol. 5, Pages 1848-1855, August 2005.

Rescue Purification Maximizes the Use of Human Islet Preparations for Transplantation, Ichii *et al.*, American Journal of Transplantation, Vol. 5, Pages 21-30, © 2005.

Prognostic Significance of Tissue Factor in Pancreatic Ductal Adenocarcinoma, Nitori *et al.*, Clinical Cancer Research, Vol. 11, Pages 2531-2539, April 2005.

Development of Colorimetric Microtiter Plate Assay for Assessment of Antimicrobials against Acanthamoeba, McBride *et al.*, American Society for Microbiology, Vol. 43, Pages 629-634, September 2004.

Circulating fibroblasts, Phillips, Journal of Clinical Investigation, Vol. 114, Pages 438-446, August 2004.

Galectin-3 is induced in rheumatoid arthritis synovial fibroblasts after adhesion to cartilage oligomeric matrix protein, Neidhart *et al.*, Annals of the Rheumatic Diseases Pages 64:419-424, June 2004.

Cellular engineering of ventricular adult rat cardiomyocytes, Cardiovascular Research, 2003 Oct 1;59(4):874-882. "Detachment of cultured vARCs using Accutase is well compatible with ectopic gene expression and yields a viable transgenic population of vARCs that eventually may be suitable as transgenic cardiomyocyte grafts."